STANDARD DUTY UTILITY CARTS

- · A durable, dependable transport solution that's easy to maneuver
- Highly rigid construction lets you easily adjust at 1" increments
- Durable chrome plated handles, shelves and posts
- Overall height: 39"
- Capacity: Up to 375 lbs with rubber casters of evenly distributed weight
- Includes: 2 handles, indicated number of shelves, and casters
 Shipped knocked down



Model) imensions		No. of	Wt.
No.	D"	х	W"	Shelves	lbs.
2 SHELV	/ES				
MK781	18	Х	30	2	36.5
MK782	18	Х	36	2	40.25
MK783	18	Х	48	2	44.75
MK784	18	Х	60	2	54
MK785	24	Х	36	2	47.75
MK786	24	Х	48	2	53.75
MK787	24	Х	60	2	63.5
3 SHELV	/ES				
MJ539	18	Х	30	3	45
MJ540	18	Х	36	3	50
MJ541	18	Х	48	3	57
MJ542	18	Х	60	3	72
MJ543	24	Х	36	3	61
MJ544	24	Х	48	3	70
MJ545	24	х	60	3	85



WIRE SHELF CARTS

- · Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chrome-plated shelves and posts prevent corrosion

- Wire shelves can be adjusted easily and quickly
 Capacity: Up to 600 lbs of evenly distributed weight with rubber casters
 Includes: 5" resilient rubber casters (two swivel, two w/brake) and donut bumpers
- · Ship knocked down



Model		Di	mensior	ıs		No. of	Wt.
No.	D"	Х	W"	х	H"	Shelves	lbs.
4 SHEL	/ES						
MJ527	18	Х	36	Х	74	4	64
MJ528	18	Х	48	Х	74	4	74
MJ529	18	х	60	х	74	4	94
MJ530	24	Х	36	Х	74	4	78
MJ531	24	Х	48	Х	74	4	90
MJ532	24	х	60	Х	74	4	110
5 SHEL	/ES						
MJ533	18	Х	36	Х	86	5	68
MJ534	18	Х	48	Х	86	5	78
MJ535	18	Х	60	х	86	5	98
MJ536	24	Х	36	Х	86	5	82
MJ537	24	Х	48	Х	86	5	94
MJ538	24	х	60	х	86	5	114



SHELF TRUCKS

HI-BOY SHELF TRUCKS

- Available in 4 or 5 shelf
- All welded 14-gauge steel
- Shelves can be ordered with lip up or down
- Complete with heavy duty 5" resilient non-marking casters
- · Overall height: 61"
- 1000 lbs. capacity
- Kleton blue finish

4 SHELF				5 SHELF				
Model	Model	Wt.	Model	Model	Wt.			
Edge up	Edge down	lbs.	Edge up	Edge down	lbs.			
MB468	MB467	115	MB474	MB473	125			
MB470	MB469	140	MB476	MB475	155			
MB472	MB471	165	MB478	MB477	184			
	Edge up MB468 MB470	Model Model Edge up Edge down MB468 MB467 MB470 MB469	Model Model Wt. Edge up Edge down lbs. MB468 MB467 115 MB470 MB469 140	Edge up Edge down lbs. Edge up MB468 MB467 115 MB474 MB470 MB469 140 MB476	Model Model Wt. Model Model Edge up Edge down Ibs. Edge up Edge down MB468 MB467 115 MB474 MB473 MB470 MB469 140 MB476 MB475			





SHELF/PLATFORM TRUCK

- 2 in 1 shelf truck features removable top shelf and post assembly - converts into a platform truck when removed
- Standard features include: front corner non-marking bumpers, four 5" non-marking tired casters, two crossbars on push handle, all welded heavy gauge steel assembly
- Kleton blue finish



Model		Di	mensio	ns		Сар.	Wt.
No.	W"	х	L"	х	H"	lbs.	lbs.
MB391	24	Х	36	Х	40	750	105

ORDER PICKING TRUCKS

- · Picking list holder eliminates inconvenience of handling loose papers
- Solid welded units are all 36" high
- · 2 shelf models have 27 1/2" clearance between shelves, 3 shelf models have 13" clearance
- 5" x 1 1/4" resilient non-marking casters
- · 1000 lbs. capacity
- Kleton blue finish





Model	Number	Tray	Overall	Wt.
No.	of Shelves	Size"	Length"	lbs.
MB440	2	18 x 30	45	70
MB441	2	24 x 36	51	80
MB442	3	18 x 30	45	85
MB443	3	24 x 36	51	100

STOCK PICKING **TRUCKS**

- Pick and transport stock without the need for a separate ladder
- 36" to top shelf with 13' clearance between shelves
- Overall height of 3 step models is 63"; 5 step height is 78"
- · Slip resistant steps; positive locking engagement
- 5" x 1 1/4" non-marking casters
- 1000 lbs. capacity
- Kleton blue finish

Model

MB507

MB508

MD441

No.



No. of

Steps

3

5

3

LOW F	PROFILE
SHOP	TRUCKS

- Low top shelf means less distance to lift heavy objects
- All-welded units constructed
- of reinforced 14 gauge steel
- Layback handle model is 25" high to top shelf with 16" shelf clearance
- Shelf trucks are equipped with either 5"
 - x 1 1/4" resilient casters with a capacity of 1000 lbs. or 6" x 2" phenolic casters with a capacity of 2000 lbs.
- Kleton blue finish



5" RESILIENT NON-MARKING 6" PHENOLIC

Shelf	Model	Wt.	Model	Wt.
Size"	No.	lbs.	No.	lbs.
18 x 30	MB421	90	MB422	100
24 x 36	MB425	110	MB426	130
24 x 48	MB429	125	MB430	145
30 x 60	MB434	145	MB435	160

24 x 36 MD442 24 x 36 BC UTILITY/LAB CARTS

Shelf

Size'

24 x 48

24 x 48

- · Smooth, injection-moulded shelves specially designed to resist staining and wipe clean easily
- 4 chrome-plated posts
- · Available in 4 different styles

- Centre shelf on 3 shelf carts is adjustable on 1" centres
- 4" non-marking swivel stem casters
- · Capacity of 150 lbs. per shelf, 400 lbs. maximum per cart
- · Shelf colour is grey

Wt.

lbs.

140

150


135

145

		D	imensior	IS		Sh	elf S	ize	Wt.
Description	W"	Х	L"	х	H"	W"	х	L"	lbs.
2 shelf unit	18	Х	28	Х	33 1/4	16	Х	27	28
3 shelf unit	18	Х	28	Х	33 1/4	16	Х	27	33
3 shelf enclosed end unit	18	Х	28	Х	33 1/4	16	Х	27	39
3 shelf, 3 sided enclosed unit	18	Х	28	Х	33 1/4	16	Х	27	43
2 shelf unit	21 1/2	Х	33 3/4	Х	33 1/4	20	Х	30	35
3 shelf unit	21 1/2	Х	33 3/4	Х	33 1/4	20	Х	30	43
3 shelf enclosed end unit	21 1/2	Х	33 3/4	Х	33 1/4	20	Х	30	50
3 shelf, 3 sided enclosed unit	21 1/2	Х	33 3/4	Х	33 1/4	20	Х	30	51
2 shelf unit	27	Х	39 1/2	Х	33 1/4	26	Х	36	41
3 shelf unit	27	Х	39 1/2	Х	33 1/4	26	Х	36	52
3 shelf enclosed end unit	27	Х	39 1/2	Х	33 1/4	26	Х	36	50
3 shelf, 3 sided enclosed unit	27	Х	39 1/2	Х	33 1/4	26	Х	36	54
	2 shelf unit 3 shelf unit 3 shelf enclosed end unit 3 shelf, 3 sided enclosed unit 2 shelf unit 3 shelf unit 3 shelf enclosed end unit 3 shelf, 3 sided enclosed unit 2 shelf, 3 sided enclosed unit 3 shelf, 3 sided enclosed unit 3 shelf unit 3 shelf enclosed end unit	2 shelf unit 18 3 shelf unit 18 3 shelf enclosed end unit 18 3 shelf, 3 sided enclosed unit 18 2 shelf unit 21 1/2 3 shelf unit 21 1/2 3 shelf enclosed end unit 21 1/2 3 shelf, 3 sided enclosed unit 21 1/2 2 shelf unit 27 3 shelf unit 27 3 shelf enclosed end unit 27	Description W" x 2 shelf unit 18 x 3 shelf unit 18 x 3 shelf enclosed end unit 18 x 3 shelf, 3 sided enclosed unit 18 x 2 shelf unit 21 1/2 x 3 shelf unit 21 1/2 x 3 shelf, 3 sided enclosed unit 21 1/2 x 2 shelf unit 27 x 3 shelf unit 27 x 3 shelf unit 27 x 3 shelf enclosed end unit 27 x	Description W" x L" 2 shelf unit 18 x 28 3 shelf unit 18 x 28 3 shelf enclosed end unit 18 x 28 3 shelf, 3 sided enclosed unit 18 x 28 2 shelf unit 21 1/2 x 33 3/4 3 shelf enclosed end unit 21 1/2 x 33 3/4 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 2 shelf unit 27 x 39 1/2 3 shelf unit 27 x 39 1/2 3 shelf enclosed end unit 27 x 39 1/2	Description W" x L" x 2 shelf unit 18 x 28 x 3 shelf unit 18 x 28 x 3 shelf enclosed end unit 18 x 28 x 3 shelf, 3 sided enclosed unit 18 x 28 x 2 shelf unit 21 1/2 x 33 3/4 x 3 shelf enclosed end unit 21 1/2 x 33 3/4 x 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 2 shelf unit 27 x 39 1/2 x 3 shelf unit 27 x 39 1/2 x 3 shelf enclosed end unit 27 x 39 1/2 x	Description W" x L" x H" 2 shelf unit 18 x 28 x 33 1/4 3 shelf unit 18 x 28 x 33 1/4 3 shelf enclosed end unit 18 x 28 x 33 1/4 2 shelf unit 21 1/2 x 33 3/4 x 33 1/4 3 shelf unit 21 1/2 x 33 3/4 x 33 1/4 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 33 1/4 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 33 1/4 2 shelf unit 27 x 39 1/2 x 33 1/4 3 shelf unit 27 x 39 1/2 x 33 1/4 3 shelf enclosed end unit 27 x 39 1/2 x 33 1/4 3 shelf enclosed end unit 27 x 39 1/2 x 33 1/4	Description W" x L" x H" W" 2 shelf unit 18 x 28 x 33 1/4 16 3 shelf unit 18 x 28 x 33 1/4 16 3 shelf enclosed end unit 18 x 28 x 33 1/4 16 2 shelf unit 21 1/2 x 33 3/4 x 33 1/4 20 3 shelf unit 21 1/2 x 33 3/4 x 33 1/4 20 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 33 1/4 20 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 33 1/4 20 2 shelf unit 21 1/2 x 33 3/4 x 33 1/4 20 2 shelf unit 27 x 39 1/2 x 33 1/4 26 3 shelf unit 27 x 39 1/2 x 33 1/4 26 3 shelf enclosed end unit 27	Description W" x L" x H" W" x 2 shelf unit 18 x 28 x 33 1/4 16 x 3 shelf unit 18 x 28 x 33 1/4 16 x 3 shelf enclosed end unit 18 x 28 x 33 1/4 16 x 2 shelf unit 21 1/2 x 33 3/4 x 33 1/4 20 x 3 shelf unit 21 1/2 x 33 3/4 x 33 1/4 20 x 3 shelf enclosed end unit 21 1/2 x 33 3/4 x 33 1/4 20 x 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 33 1/4 20 x 2 shelf unit 27 x 39 1/2 x 33 1/4 20 x 2 shelf unit 27 x 39 1/2 x 33 1/4 26 x 3 shelf unit 27	Description W" x L" x H" W" x L" 2 shelf unit 18 x 28 x 33 1/4 16 x 27 3 shelf unit 18 x 28 x 33 1/4 16 x 27 3 shelf enclosed end unit 18 x 28 x 33 1/4 16 x 27 2 shelf unit 21 1/2 x 33 3/4 x 33 1/4 20 x 30 3 shelf enclosed end unit 21 1/2 x 33 3/4 x 33 1/4 20 x 30 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 33 1/4 20 x 30 3 shelf, 3 sided enclosed unit 21 1/2 x 33 3/4 x 33 1/4 20 x 30 3 shelf enclosed end unit 21 1/2 x 33 3/4 x 33 1/4 20 x 30 2 shelf unit







SHELF TRUCKS

The Kleton line of shelf trucks are the toughest and most economical in the industry. The shelves are made of 16-gauge steel and posts are 12 gauge. Guaranteed to outlast all other similar shelf trucks.











Casters are welded-on

COMMERCIAL DUTY

- Available in 2 or 3 shelf models
- · Top and middle shelf can be installed with the edge up or down, depending on your application
- · Four 5" polyolefin casters, 2 swivel and 2 rigid
- 1 1/4" dia. tubular steel handle
- · 36" Overall height · 500 lbs. total capacity
- · Shipped knocked down · Colour: Kleton blue



3 SHELF

2 SHELF

Shelf Size"	Model No.	Wt. lbs.	Model No.	Wt. lbs.
18 x 30	MB482	43	MB485	54
24 x 36	MB483	54	MB486	70
24 x 48	MB484	69	MB487	93

STANDARD DUTY

- · Available in 2 or 3 shelf models
- Top & middle shelf can be installed with the edge up or down
- · Four 5" casters, 2 swivel and 2 rigid · Quiet rolling, non marking casters
- 1 1/4" dia. tubular steel handle
- · 36" overall height
- 750 lbs. total capacity
- Shipped knocked down
- · Colour: Kleton blue




2 SHELF

		OULLE	
Wt.	Model		Wt.
lbs.	No.		lbs.

Shelf	Model	Wt.	Model	Wt.
Size"	No.	lbs.	No.	lbs.
18 x 30	MB492	43	MB495	54
24 x 36	MB493	54	MB496	70
24 x 48	MB494	69	MB497	93

WITH PNEUMATIC WHEELS

- · Easy rolling 8" pneumatic casters enable this shelf truck to ride over cables, debris etc.
- 750 lbs. capacity
- Shipped knocked down
- · Colour: Kleton blue



Model No.	Shelf Size"	No. of Shelves	Wt. Ibs.
MB488	24 x 36	2	60
MB489	24 x 48	2	75
MB490	24 x 36	3	90
MB491	24 x 48	3	100

HEAVY-DUTY

These heavy-duty shelf trucks feature all welded

14-gauge steel shelves and 1/8" thick x 1 1/2" angle post.

- · Shelves are available with the edge up or down
- Four 5" casters, 2 swivel and 2 rigid Quiet rolling, non-marking casters
- 1" dia. tubular steel handle
- 36" overall height
- 1000 lbs. total capacity
- Colour: Kleton blue



	4	2 SHELF	3 SHELF					
Shelf Size"	Model Edge Up	Model Edge Down	Wt. lbs.	Model Edge Up	Model Edge Down	Wt. lbs.		
3126	Euge op	Euge Down	IDS.	Euge op	Euge Down	IDS.		
18 x 30	MB445	MB444	60	MB456	MB455	75		
24 x 36	MB447	MB446	65	MB459	MB458	85		
24 x 48	MB449	MB448	100	MB461	MB460	100		

WITH DRAWER

- · All welded
- 5" non-marking casters
- Drawer is 18" W x 21" D
- 1000 lbs. capacity
- Colour: Kleton blue



Model		Shelf		No. of	Wt.	
No.	o. Size"			Shelves	lbs.	
MH255	24	Х	36	2	75	
MH256	24	х	36	3	85	





SERVICE & UTILITY CARTS

HEAVY-DUTY UTILITY CARTS

- Ergonomic handle with molded-in storage compartments and cup holder
- Rounded corners
- Drawer supports 40 lbs. & has cam locking system







Model No.		Model No.		imensi	Capacity	
Black	Beige	Description	L"	х	W"	İbs.
MK746	MH830	2 shelves	30	Х	16	500
MK747	MH831	2 shelves	36	Х	24	500
MK748	MH832	2 shelves	46	х	24	750
MK749	MH833	3 shelves	30	Х	16	500
MK750	MH834	3 shelves	36	х	24	500
MK751	MH835	2 shelves w/drawer	30	Х	16	500
MK752	MH836	2 shelves w/drawer	36	Х	24	500
MK753	MH837	2 shelves w/drawer	46	Х	24	500

REPLACEMENT SHELVES

MK756	Fits MK746, MK751
MK755	Fits MK747, MK752
MH838	Fits MH831, MH834
MH839	Fits MH830 MH833

FLAT SHELF UTILITY CARTS

- · Flat design makes loading and unloading of heavy boxes and parts easier
- Top shelf moat around entire shelf catches small parts and liquids
- Handle bin holds tools, parts
- Durable structural foam construction won't dent, rust or bend
- Non-marking 5" casters
- Optional middle shelf available
- 400 lbs. capacity. (133 lbs. per shelf when used with three shelves, 200 lbs. per shelf with two shelf models)





Mode	l No.	Mfg.		S	he	lf Si	ze	Wt.
Beige	Black No.		Description	W"	x L" x		х Н"	lbs.
MB354	MK740	(740 4505 400 lbs. cap.		19	Х	38	x 33	33
MB361	MK742	4594	Middle shelf	19	Х	38	x 3	10
MB359	MK741	4525	400 lbs. cap.	25.6	Х	44	x 33	44
MB363	MK743	4595	Middle shelf	25.6	х	44	x 3	20

LIGHT-DUTY UTILITY CARTS

- Durable plastic construction
- Comes with middle shelf and two convenient handles
- Shelves are flat with retaining beaded edges





Model	Mfg.	Capacity		Sh	elf Siz	ze		Wt.			
No.	No.	lbs.	W"	х	L"	х	Н"	lbs.			
MH223	3424	200	19	Х	34	Х	38	30			
CART W/ENCLOSED END PANELS											
MH829	3355	300	18	v	31	v	37 1/2	37			

STAINLESS STEEL **GUARD RAIL CARTS**

- · All welded stainless steel construction ensures durability and easy sanitation
- Ideal where goods need protection from rolling or sliding of shelves
- Integrated push handle and four swivel casters make these carts easy to move around
- Sound deadening panels under shelves reduce vibration and noise
- Standard handle and leg bumpers protect walls and doorways from damage
- Easy to clean, simply wipe down or steam clean





Model	Shelf	Caster	Capacity		-)imensi	ion	s	Shelf	Wt.
No.	Quantity	Size"	lbs	W"	х	L"	Х	Н"	Clearance"	lbs.
MK975	3	4	500	19	х	31	Х	34 3/4	9	45
MK976	2	5	700	22 3/8	Х	38 5/8	Х	37 1/4	18 3/4	65
MK977	3	5	700	22 3/8	Х	38 5/8	Х	37 1/4	9 3/8	79

TRADES CARTS

- Use as mobile workbench
- Sized to hold large tools and supplies yet fits in tight spaces
- Four compartmentalized parts box and two versatile storage bins
- Mounting bracket to serve as an electrical cord wrap and convenient handle bin to keep small tools/parts
- Constructed of black plastic for lightness and durability
- 6" casters (2 with brakes)
- Also available with a fully enclosed, lockable storage compartment
- Dimensions: 19 1/4" W x 38" L x 33 3/8" H
- Capacity: 150 lbs. (top shelf), 200 lbs. (bottom shelf)

Model No. MK744 Wt.: 50 lbs Trades Cart Mfg. No. 6180

Model No. MK745 Wt.: 68 lbs Trades Cart w/Lockable Cabinet Mfg. No. 6180-88







MK974

STANDARD/MEDIUM DUTY STAINLESS STEEL CARTS

- · Durable chassis frame with protective bumpers on legs and handle
- · Ideal for constant usage with light to moderate loads
- 1" edge on three sides of top and middle shelves
- · All edges down on bottom shelf
- All rubber swivel casters standard Model MI819 has to

W	o s	wivel a	and two fixed	- 64		0		
ne	nsi x	ons H"	Shelf size"	No. of Shelves	Caster size"	Cap. Ibs.	Wt. lbs.	
/2	х	32 1/8	15 1/2 x 24	1 3	3 1/2	300	29	
/4	Х	33	18 x 27	7 3	3 1/2	300	32	
	Х	36 7/8	18 x 31	l 3	5	500	50	
	Х	36 7/8	18 x 31	4	5	500	57	
/Q	v	22 1/9	15 1/2 v 2/	1 2	1	EUU	20	

Overall dim Model No. W" x L" MI812 16 1/4 x 27 1/3 MI813 18 3/8 x 30 3/4 MI814 19 3/8 x MI815 19 3/8 x MI816 16 3/4 x 27 5/8 x 32 1/8 15 1/2 x MI817 19 x 31 x 32 1/8 18 x 27 500 42 22 3/8 x 39 1/4 x 37 1/4 500 MI818 68 21 x 35 MI819 22 3/8 x 54 1/8 x 37 1/4 500 88

HEAVY-DUTY STAINLESS STEEL U FRAME CARTS

- Angled "U" shaped electronically welded stainless steel frame for strength
- Rugged 18-gauge reinforced stainless steel shelves are stain and rust resistant
- Units can be steamed cleaned for convenience and sanitation
- Leg and handle bumpers protect walls and furniture
- LAKESIDE · Capacity: 700 lbs. • Includes: two heavy-duty 5" swivel
- casters combined with two 8" fixed casters for mobility

