

DRUM LIFTERS

DRUM/OVERPACK LIFTERS

- A safe method of moving 45-gallon steel drums
- Design allows for quick, gentle loading. Drum stays upright during lift
- Low-profile clamp design on 45-gallon lifter lowers open (lid must be on) or closed head steel drums all the way to bottom of overpack
- 70-gallon overpack lifter picks up both 70-gallon steel overpack drums and 45-gallon steel drums
- Universal model **DA876** handles many lever-lock closure fibre drums typical steel drums and 45-gallon rimmed plastic drums
- Capacity: 1000 lbs.

Model No.	Description	Wt. lbs.
DA224	45-gal. Lifter	21
DA225	70-gal. Overpack/45-gal. Lifter	22
DA876	Universal Lifter	25
DC094	Stainless Steel Universal Lifter	25



HORIZONTAL DRUM LIFTING HOOKS

- Horizontally lifts 45-gal. steel drums, 34"- 36" long
- Alloy steel lifting ring, steel rods, malleable iron hooks
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Model No. **DA164**

- Spark resistant lifting hook is made of bronze and copper for safe handling
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Model No. **DA163**



FORK LIFT ATTACHMENT

- Converts any lift truck to a below-the-hook carrier
- 360° rotation safety hook for safe, easy lifting
- All steel construction
- Dimensions: 14" L x 31" W x 7" H
- Capacity: 1000 lbs.
- Wt.: 42 lbs.

Model No. **DA231**



SINGLE FORK HOOKS

- Convert forklift to a hoist in seconds
- Feature a safety latch and all-welded steel frame
- Safety yellow
- Available with fixed or swivel hook



Fixed Hook Model No.	Swivel Hook Model No.	Work Load Limit, lbs.	Fork Pocket W" x H"	Hook Opening"	Wt. lbs.
DA167	DA688	3000	4 3/8 x 2 3/8	27/32	13
DA168	DA689	3000	5 3/8 x 2 3/8	27/32	15
DA169	DA690	3000	6 3/8 x 2 3/8	27/32	16

AUTO-GRIP DRUM LIFTER

- Easy, no-tilt lifting of rimmed steel drums
- Self-energizing: the heavier the load, the tighter the grip
- Attaches to any hoist, crane or forklift using single fork hook attachment
- Heavy-duty, annealed, ductile iron construction
- Large curved foot at bottom of stabilizing arm prevents drum damage
- Capacity: 3000 lbs.
- Wt.: 31 lbs.

Model No. **DA226**



AUTOMATIC VERTICAL DRUM LIFTER

- Lifts and transports closed steel drums easily and effectively
- Unit grips automatically; releases only when drum is set down
- Operator does not have to be at pick up or drop points
- 45-gallon model is available in standard steel or type 304 stainless steel construction
- Capacity: 1000 lbs.



Model No.	Lifts Drum Size Gallons	Construction Material	Wt. lbs.
DC091	30	Steel	45
DA203	45	Steel	50
DC092	45	Stainless Steel	50
DC093	85	Steel	59



REINFORCED NYLON DRUM SLING

- Securely and economically lifts steel, plastic and fibre drums from 12" to 24" in diameter
- Ideal for use with a forklift truck
- Compact size of sling allows it to be stored in truck until it's needed
- Reduces drum damage which occurs when using steel handlers
- Steel ratchet tightens the reinforced nylon lifting belt around body of the barrel holding it securely in place
- 4" wide, double stitched carrying strap on the belt slips easily over the truck forks
- Capacity: 1000 lbs. • Wt.: 5 lbs.

Note: Open ratchet fully when installing sling on 45-gal. drums.


Model No. **DA208**



MULTI-PURPOSE OVERHEAD DRUM LIFTER WITH WRENCHES

- Simple three-arm design allows for safe lifting of closed head 30 to 55-gallon steel, plastic, and fiber drums with top lips
- Each removable arm also functions as a wrench for use on different drum plugs, faucets, and rim ring bolts.
- Lifts drums up to 800 lbs capacity
- Powder coat finish for durability
- Wt.: 20 lbs.

Model No. **DC095**



MANUAL VERTICAL DRUM LIFTER

- Allows raising and moving of closed-head 45-gallon steel drums
- 1 1/2" diameter lifting eye is mounted above 4 hot rolled steel supports
- Safety lock pin prevents accidental opening
- Attaches to overhead crane or hoist
- Dimensions: 23" W x 28 1/4" D x 13 1/2" H
- Capacity: 700 lbs.
- Wt.: 15 lbs.

Model No. **DA228**



DRUM LIFTERS & HANDLERS

STEEL DRUM GRABBERS

- Lift and transport one or two 45-gallon steel drums without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum
- Heavy gauge grabber slides onto truck forks and is locked with 2 turn down screws




Model No.	Description	Fork Pocket Inner Dia."	Capacity lbs/Drum	Wt. lbs.
DC026	Single Drum Grabber	5.5 x 2	1,000	121
DC039	Double Drum Grabber	7 x 2.25	1,000	198

GRAVITY-ACTUATED MECHANICAL AUTO-GRIP™

- Most efficient on consistently-sized loads
- Equipped with standard jaws only that grip with pressure equal to the weight of the drum and adjust to fit 30, 55 or 85-gallon steel, fiber or overpack drums
- Mechanism adjusts to grasp any cylindrical object 18-28" in diameter
- Spring-and-cam actuated jaws automatically grip while engaging drum
- Fork tube size is 2" x 6" x 20"
- Capacity: 1500 lbs.

Model No. DA175



SELF-POWERED MAXI-GRIP™ DRUM LIFTER

- Single function hydraulic drum grip made exclusively for moving and stacking drums vertically
- Wrap-around clamping action of rubber lined over-sized jaws securely grip 45-gallon plastic, fibre or steel drums
- Safely transports open top drums; wrap-around design will not allow soft-sided plastic or fibre open top drums to deform and fall out of grip
- Hydraulic power pack runs on two 12 volt batteries (not included), and comes standard with a built-in charging system
- Unit is controlled by pressing rocker switches on a control module that can be hand-held or attached magnetically next to the driver
- 2 separate rocker switches turn unit on, and open /close jaws
- Capacity: 2000 lbs. • Weight: 400 lbs.
- Product demonstration video available

Model No. DA183



POLY DRUM LIFTER

- Patented fork truck attachment for handling most 55 and 30 gallon (US) poly drums
- Fork truck driver does not have to leave cab to engage or disengage drum
- Suited for poly drums that have at least a 3/16" top lip (chime)
- Fork pocket size: inside 1 1/2" x 5 3/8"
- Capacity: 1000 lbs.
- Shipped knocked down


Model No. DA932



GRAVITY-ACTUATED MECHANICAL AUTO-GRIP™

- Exclusively designed for use with 55-gallon plastic drums
- 3" jaws fit snugly under top rim of full or empty plastic drums
- Turnbuckle mechanism adjusts to grasp any cylindrical object 22-24" in diameter
- Spring-and-cam actuated jaws automatically grip while pressure of the drum forces them down
- Fork-mounted to easily attach and unattach from forklift in seconds
- Fork tube size is 2" x 6" x 20"
- Capacity: 1000 lbs.

Model No. DC014




DRUM HANDLERS & RACKS

DRUM STACKING RACK

- Designed to give maximum flexibility
- Provides 4-way fork truck or pallet truck entry allowing for easy drum relocation
- Each rack holds two 45-gallon drums and is stackable up to 4 high
- Overall dimensions: 54 1/2" x 29 1/2"
- Wt.: 38 lbs.
- Shipped knocked down

Model No. DA537



KLETON

DA537 (qty 2)
shown for product
illustration

BARREL HAWK™ RAPTOR DRUM HANDLER

- Reduce the risk of back and muscle injury
- Jaw clamp attaches securely to rimmed steel drums while hand operated hydraulic pump lifts 45-gallon drum up to 19" off the floor
- Easy to lift drum from any pallet, skid or containment basin location because handler legs fit right into corner
- Rolls smoothly on one rear swivel caster (w/brake) and two front fixed wheels
- Designed for use on steel drums only
- Overall dimensions: 49 1/2" W (Outside) 43" W (Inside) x 40" D x 60 1/2" H
- Capacity: 800 lbs.
- Wt. 232 lbs.
- Strapping not included

Model No. DA809

BARREL HAWK
Raptor



MORSE

MORStop™ Tilt Brake



HYDRA-LIFT DRUM HANDLERS


- A safe way to lift, move, tilt and drain 45-gallon drums
- Manual control; pump-handle lifts drum, maximum extension is 45 strokes
- Hand crank controls tilt angle of drum up to 360° in either direction for controlled pouring of contents, chain wheel controls tilt for 72" and higher lift models
- 800 lbs. full drum capacity; 500 lbs. half-full capacity
- Rugged, heavy-duty welded frame; 8" polyolefin wheels and 4" swivel casters; screw-down floor lock
- Power lift and power tilt with a choice of motors is optional
- Shipped partially disassembled
- Powered models eliminate the manual effort of drum raising and tilting; increases productivity and safety
- Optional MORStop™ tilt brake holds drum tilt position constant even when tension from the pull chain is removed

MANUAL LIFT - For the 60" dispensing height unit, the tilt function is controlled by a hand crank. The 72" and 96" tilt control is with a chain wheel.

POWER LIFT - Moving valve handle to up, down or hold position controls drum height; 25 second lifting time.

POWER LIFT & TILT - One valve controls lifting, another controls tilt angle. Ideal when hand crank or chain drop is out of reach.

Dispensing Height"	H"	L"	O.D."	I.D."
60	55	60	44	37
72	55	60	44	37
84	61	72 1/2	49	42
96	69	76 1/2	50	43



Dispensing Height			
60"	72"	96"	
Model No.	Model No.	Model No.	Description
DA138	DA143	DA153	Manual Hydra lift and tilt
DA139	DA144	DA154	Hydra lift c/w air power lift and power tilt
DA140	DA145	DA155	Hydra lift c/w 12V DC power lift and power tilt**
DA141	DA146	DA156	Hydra lift c/w air power lift and manual tilt*
DA142	DA147	DA157	Hydra lift c/w 12V DC power lift and manual tilt**

OPTION

DC077 MORStop™ Tilt Brake Option

* Filter, regulator, lubricator and valve not included ** Battery and charger included

DRUM LIFTERS & HANDLERS

FORK MOUNTED DRUM LIFTERS

- Allows operator to raise, transport, tip and drain loaded drums without leaving their seat
- Geared design with pull chain or battery powered with remote for controlled dispensing of open and closed head steel drums up to 2000 lbs
- Manipulation of pull chain or push button remote (battery powered model) for 360° rotation
- Attaches easily to truck by sliding onto forks and tightening screw locks
- No electrical or hydraulic connections to truck are needed
- 6 1/2" W x 30" D x 2 1/2" H fork pockets; inside width between truck forks must be at least 24 1/2"
- For use with steel drums
- Optional **MORStop™** tilt brake holds drum tilt position constant even when tension from the pull chain is removed



Controlled pouring up to 2000 lbs.

Model No.	Drum Size Gallons	Tilt Type	Full Drum Cap. lbs.	Half Drum Cap. lbs.	Wt. lbs.
DC076	45	Electric	1200	600	395
DC075	45	Geared	1500	800	213
DA133	45*	Geared	800	500	169
DA135	45	Geared	1500	800	178
DA134	45	Geared	2000	100	361
DA136	25**	Geared	800	500	169
DA137	25	Geared	1500	800	178

OPTION

DC077 **MORStop™ Tilt Brake Option**

* 22 1/2" diameter ** 19 1/2" diameter



The unique **MORStop™** Tilt-Brake mechanism automatically stops and holds the drum tilt angle! It is a simple, compact anti-backdrive device which functions smoothly and quietly in both directions.

DRUM LIFTERS

Safely transport, position and drain open and closed head steel drums. Simply attach the lifter on hook of chain block, monorail or crane, cinch saddle around drum, and then raise to the required height and position. Ratchet mechanism securely tightens saddle to drum. Choice of manual or geared models.

A. MANUAL TILT

- Ideal for low level pouring and dumping operations • 800-lb full drum capacity, 500-lb half drum capacity • Tilt lock on each side of hanger frame is used to secure drum in a vertical or horizontal position

Model No.	Drum Size	Wt. lbs.
DA199	45 gallon steel; 22 1/2" dia.	46
DA200	25 and 45 gallon steel; 18 1/2" - 19" and 22 1/2" dia.	46
DA201	21" - 23" dia. fibre or steel	46
DA202	25 and 45 gallon fibre and steel; 18 1/2" - 19" and 22 1/2" dia.	46

B. GEARED TILT

- Accurate pouring from any height • Handles drums up to 2000-lb full drum capacity
- Rotation of drum is controlled by 6' chain loop
- Optional **MORStop™** tilt brake holds drum tilt position constant even when tension from the pull chain is removed



Model No.	Drum Size	Full Drum Cap. lbs.	Half Full Cap. lbs.	Wt. lbs.
DA121*	45 gallon steel; 22 1/2" dia.	800	500	71
DA124*	45 gallon steel; 22 1/2" dia.	1500	800	85
DA123**	45 gallon steel; 22 1/2" dia.	2000	1000	170
DA122	45 gallon plastic; 22 1/2"-24" dia.	900	500	121
DA125	25 and 45 gallon steel; 18 1/2" - 19" and 22 1/2" dia.	800	500	71
DA126	25 gallon steel; 19" dia.	1500	800	90
DA127	45 gallon fibre and steel; 22 - 23 1/2" dia.	800	500	71
DA128	45 gallon fibre and steel; 22 - 23 1/2" dia.	1500	800	91
DA129	25 and 45 gallon fibre and steel; 18 1/2" - 19" and 22 1/2" dia.	800	500	71

OPTION

DC077 **MORStop™ Tilt Brake Option**

* Chains can be guided into locking slots to hold the drum's position, allowing the operator to let go
 **Worm gear speed reducer on DA123 tends to let drum stay where it is stopped



A. Manual Tilt



B. Geared Tilt




ULTRA GRIP™ DRUM HANDLERS

- This self-powered, hydraulic unit is the most versatile drum handler available
- Ideal for loading, stacking, inverting and controlled dumping of 45-gallon steel, plastic or fibre drums
- This three-function machine, GRIPS, TILTS forward up to 125°, and ROTATES left or right a full 360° while on either a horizontal or a vertical axis
- Bonded rubber-lined jaws match the contour of the open-top plastic, fibre or steel drum, allowing them to be safely lifted and dumped
- Hydraulic power pack runs on two 12-volt batteries (included), and comes standard with a built-in charging system
- Unit is controlled by pressing rocker switches on a control module that can be hand-held or attached magnetically next to the driver
- Four separate rocker switches turn unit on, open and close jaws, control left/right rotation, and tilt unit forward and backward
- Product demonstration video available



360° rotation on a vertical or horizontal axis; 125° forward tilt.



Available for 45-gallon steel, plastic or fibre drums.



B124

15936E

Model No.	Drum Type	Jaw Size"	Lifting Cap. lbs.	Wt. lbs.
DA171	Steel only, 16" - 26" dia.	9 x 20	2000	672
DA172	Plastic/fibre/steel (45 gal. only)	9 x 30	2000	701