GOGGLES & CLOTHING

FLEXIBLE FRAME GOGGLES

- · Soft PVC frame seals out light leaks
- Choice of 2" x 4 1/4" fixed front or flip front design
- · Comes complete with shade 5 lens





Model No.	Description	
NT646	Fixed Front	
NT647	Flip Front	

WELD MATE

WELD-MATE

CUP GOGGLES

- Rigid 2" (50 mm) round lens cup goggle
- Comes complete with shade 5 lens



_]	WELD-MATE	

Model No.	Description	
NT648	Cup Goggles	


FLAME RETARDANT CLOTHING


- Manufactured from flame retardant treated cotton sateen
- · Will retain its flame retardant properties for up to 50 normal washings
- Specially-designed underarm sport cut and hemmed collar
- 9-oz. jackets include inside pocket and five snaps
- 9-oz. cape sleeves come with six-snap fasteners for bib (sold separately)



Model		Chest	Mar
No.	Size	Measurements	100
JACKETS			
630-6130M	Medium	40-42"	— Cape
630-6130L	Large	44-46"	Sleeve
630-6130XL	X-Large	48-50"	
630-6130XXL	2X-Large	52-54"	The last of
630-6130XXX	3X-Large	56-58"	
CAPE SLEE	VES		
630-6228M	Medium	40-42"	10
630-6228L	Large	44-46"	
630-6228XL	X-Large	48-50"	
630-6228XXL	2X-Large	52-54"	
630-6228XXXL	3X-Large	56-58"	
BIB & SLEE	VES		Bib
630-6220	20" Length Bib	-	
630-7318	18" Long Sleeve	434	
630-7323	23" Long Sleeve		

LAVA BROWN **LEATHER ACCESSORIES**









Model No.	Size			
A. SLEEVE				
644-7023	23" L			
B. CAPE SLEE	VES			
644-7800S	Small			
644-7800M	Medium			
644-7800L	Large			
644-7800XL	X-Large			
644-7800XXL	2X-Large			
644-7800XXX	3X-Large			
C. BIBS				
644-7814	14" L			
644-7820	20" L			
D. SPLIT LEG APRONS & CHAPS				
644-7242	42" L			
644-7248	48" L			
644-7440	Chaps			
E. BIB APRONS				

24" L

42" L

48" L

6" L

14" L





LAVA BROWN **LEATHER JACKETS**

- · Designed to allow complete body movement and freedom
- · Heat and flame resistant leather is made from durable side split cowhide
- · Seams are double lock stitched
- · Include full-sized pocket and multiple-snap adjustment cuffs
- Roll-up collar stops shooting spatter





Model		Chest
No.	Size	Measurements
644-7300M	Medium	40-42"
644-7300L	Large	44-46"
644-7300XL	X-Large	48-50"
644-7300XXL	2X-Large	52-54"
644-7300XXXL	3X-Large	56-58"



644-7124

644-7136 644-7142

644-7148

F. SPATS

EYEWEAR


Flexi-Fit soft nosepiece for comfort and adaptability

Easy lens replacement system

Frame made of new Elasto LT chemical-resistant material Lenses are protected by North's exclusive 4A coating,

Comfortable straight and curved temple ends supplied with all N-Vision series eyewear

Optional Rx insert available





NORTH

Model No.	Mfg. No.	Frame Colour	Lens Tint
SAK195	T56555B	Black	Clear
SAK196	T56555BS	Black	Smoke
SAK197	T56555BA	Black	Amber
SAK198	T56565BM	Black	Mirror*
SAP512	T56565BCTG	Black	I/O Mirror*

* Mirror lenses are not anti-fog



Single-piece polycarbonate lens with a 9-based curve for maximum peripheral vision

Lens is anti-fog, anti-scratch, anti-UV 99.9% and anti-static

Comes complete with both straight and curved temple ends

CSA approved



Model No.	Mfg. No.	Frame Colour	Lens Tint
SH060	T56005B	Black	Clear
SH061	T56005BS	Black	Smoke
SH062	T56005BA	Black	Amber



- Unique dual lens styling in a single piece lens
- Maximum protection and comfort for greater user acceptance
- Full frame in black with grey trim
- Available with fully adjustable curved temples or straight extensible non-pivoting temple ends.
- Anti-fog, anti-scratch, anti-static and anti-UV lenses

Meets ANSI and CSA standards



Model No.	Mtg. No.	Lens tint			
CURVED	CURVED TEMPLES				
SH069 SH070 SH071	T57005B T57005BS T57005BA	Clear Smoke Amber			

Model No.	Mfg. No.	Lens tint
STRAIGH	IT TEMPL	ES
SH078	T58005B	Clear
SH079	T58005BS	Smoke
SH080	T58005BA	Amber

NORTE

NORTH

- High base panoramic lens for a wide unobstructed field of vision
- Self-adjusting temples to insure a secure and comfortable fit
- Frame made of chemical and heat-resistant Elasto LT material
- Flexi-Fit three-point non-slip nosepiece
- eliminates excessive pressure on the nose
- Exclusive 4A coating: anti-fog, anti-scratch, anti-UV, anti-static

Fast and easy lens replacement with unique Rapid-Change system

Soft-Touch comfort pads Optional Rx insert available

Exceeds CSA Z94.3 and ANSI requirements

Model No.	Mfg. No.	Frame Colour	Lens Tint
SAJ221	T65005	Black	Clear
SAJ222	T65005S	Black	Smoke
SAJ230	T65005A	Black	Amber
SAJ231	T65005M	Black	Mirror*
SAP515	T65015TCK	Black	I/O Mirror*

*Mirror lenses are anti-fog

ILLUSION

- · Made of lightweight, high-impact resistant materials
- Stylish low profile lens design with excellent wraparound coverage
- Lenses are protected by North's exclusive 4A coating, anti-scratch, anti-fog anti-static and anti-UV at 99.9%
- Black temple
- Meets CSA and ANSI requirements

Model No.	Mfg. No.	Lens Tint
SAJ252	T15005	Clear
SAJ253	T15005S	Smoke

Model No.	Mfg. No.	Lens Tint
SAJ254	T15005A	Amber
SAJ255	T15005M	Mirror*

*Mirror lenses are not anti-fog

STEALTH™

- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Easiest lens replacement system available
- Uvextreme AF® coating and indirect ventilation system minimizes fogging
- Impact-resistant polycarbonate lenses absorb 99.9% of UV light
- Quick adjust neoprene headband
- Meets ANSI Z87+ and CSA Z94.3 standards

Model No.	Lens Tint
SE790	Clear
SE791*	Clear

Model No.	Lens Tint
SE792	Grey
SE793	Amber
* Fabria Haadbaad	



Z300

- Impact proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation protects against dust, fumes and chemical splash
- SAN430 anti-fog lens for high humidity applications
- Distortion-free
- Moste or exceede CSA etandarde

1410010 01 0/10000	io oo, i otariaarao
Model	
No.	Description
SAN428	Direct vent
SAN429	Indirect vent
SAN430	Indirect vent, anti-fog



SE787

EYEWEAR RETAINERS

Easy and convenient access to safety eyewear Choice of two styles:

Universal cord with hoop attachment for all Uvex® spectacles and in Duoflex®/Snap-fit which incorporates breakaway feature for added safety, fits all Uvex® spectacles with pierced temple-ends or Duoflex® temples

Model No. SE783 Universal Model No. SE786 Duoflex®/Snap-Fit

EYEWEAR CASES

Protecting your eyewear from scratches and abrasions

Hard case with belt loop and velcro closure fits *Uvex*® spectacles flat-fold frames with sideshields, except the Astrospec® 3000

Model No. SE787 Hard case w/belt loop

- Astropack accommodates most safety spectacles including Astrospec and Flashback® eyewear and a replacement lens
- Made of strong, zippered nylon for extra toughness and includes durable belt loops for quick storage



Universal goggles pack accommodates all Uvex® goggles. Model No. SE789 Universal Goggle pack





SE789

EYEWEAR & LENS CLEANING

MILLENNIATM



- Lightweight frame with superior side and brow protection
- High impact dual 9-base wrap-around unilens
- Comfortable universal nose bridge
- Includes adjustable break-away FlexiCord
- for added security and convenience Meets ANSI Z87+ and CSA Z94.3 safety standards

Mode	el No.	Lens
Black	Blue	Tint
SG990	SG991	Clear
SG993	-	<i>TSR</i> ® Grey
SG996	-	Silver Mirror I/O



ASTRO OTG® 3001

- Design to fit over prescription glasses
- Economical alternative to expensive safety prescription spectacles
- Lightweight unilens offers panoramic vision
- Adjustable lens inclination and temple length
- Moulded side shields
- Meets ANSI Z87+ and CSA Z94.3 safety standards

Model No.		Lens
Black	Blue	Tint
UVEX	ΓREME [®] AF	
SE700	SE702	Clear
SE701	SE703	Grey



Model No.		Lens
Black	Blue	Tint
ULTR	-DURA®	HARDCOAT
SE704	SE706	Clear
SE705	SE707	Grey
		•

GENESIS®

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9 base wraparound lens
- Vents the eye socket area
- Soft brow bumper provides comfortable fingers that adjust and wrap around almost any nasal profile
- Ratchet lens inclination adjustment
- Passed military V. ballistic (standard MIL-STD-662) test regiment
- Meets all ANSI and CSA standards

Mode	l No.	Lens
Black Frame	Vapor Blue	Tint
SN209	SN219	Clear <i>Ultra-Dura®</i>
SN210	SN220	Clear Uvextreme® AF
SN211	SN221	Espresso <i>Ultra-Dura®</i>
SN212	SN222	Espresso Uvextreme® AF
SN213	SN223	Amber <i>Ultra-Dura®</i>

UVEX XCTM

- Extended wraparound lens for extra cheek and extra side coverage (up to 20% more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two shot temple for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place
- Passes ANSI Z87+ and CSA Z94.3 standards

ULTRA-DURA® HARDCOAT

Model No.	Lens Tint
SAK138	Clear
SAK139	Grey
SAK403	Mirror
SAK405	Infra-Dura® Shade 3.0
SAK406	Infra-Dura® Shade 5.0

UVEXTREME® AF

Model No.	Lens Tint
SAK093	Clear
SAK407	Grey
SAK408	SCT®-Grey
SAK409	SCT®-Low IR

LENS CLEANING TOWELETTE DISPENSER

Ideal when remote stations are impractical. Anti-static, anti-fog, silicone-free towelette dispenser provides 100 individually packaged, pre-folded towelettes in one convenient corrugated dispenser.

Model No. SA714





Z500 EYEWEAR

- · Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Clear frame
- Meets or exceeds CSA standard

Model	Lens	
No.	Tint	
SAP877	Clear	
		Т



Z400 EYEWEAR

- Sporty design with extended wraparound coverage
- Adjustable temples provide a superior comfort and fit
- Ultra-soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Black frame
- Meets or exceeds CSA standard

Model No.	Lens Tint
SAK850	Clear
SAK851	Grey



ZENTH

ZENTH

ZENTH

SPERIAN

Z100 EYEWEAR

- Traditional design with integral sideshields
- Adjustable temples provide a superior comfort and fit
- Moulded-in nose bridge
- Scratch-resistant polycarbonate lens with UV protection
 - Distortion-free
 - Black frame
 - Meets or exceeds CSA standard

Model	Lens
No.	Tint
SAN426	Clear



Z200 EYEWEAR

- Superior protection at an economical price
- Ideal visitor spectacle
- Moulded-in nose bridge
- Polycarbonate lens with UV protection
- Distortion-free
- Meets or exceeds CSA standard

Model	Lens
No.	Tint
SAN427	Clear



CORRUGATED DISPOSABLE LENS CLEANING STATIONS

- Easy-to-install, flat surface or wall mounted
- Stations include tissues and anti-static, anti-fog cleaning and polishing spray fluid
- For use with glass, plastic and polycarbonate lenses, goggles or faceshields
- Station holds 1520 tissues
- Alcohol/silicone-free cleaning solution is safe for coated lenses



Model No.	Description	W"	х	D"	х	Н"
16 OZ. SPF	RAY					
SA709	W/Alcohol and Silicone	26 3/4	Х	9 1/2	Х	12 1/4
SC399	Alcohol and Silicone Free	26 3/4	Х	9 1/2	Х	12 1/4