PLASTIC BIN SUPPORT RACKS

- · Louvered bin panels can be wall-mounted, attached to back of shelving, mounted on benches, carts, inside cabinets, fastened to slotted angle components or used for service truck interiors
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16 gauge cold-rolled steel Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- Kleton grey powder coated
- · Installation Note: Panels must be securely fastened
- to materials of adequate load bearing strength
- · Each panel must be secured vertically at the centre

BIN QUANTITY TABLE

Quantity of identical plastic bins that fit Model CB362 Panel

Combined Panel Height 35 3/4" Wide	Bin CB093	Bin CB096	Bin CB099	Bin CB102	Bin CB105	Bin CB108	Bin CB111
1 Panel = 19" H	32	32	18	9	8	8	4
2 Panels = 37" H	72	72	36	18	18	16	8
3 Panels = 55" H	104	104	54	27	28	28	14
4 Panels = 73" H	144	144	72	36	36	36	18

For CB361 Panel, use 1/2 of bin quantities shown above.

BIN CARTS

- · Mobile bin cart has a work surface of 14 gauge steel
- Model CB366 (shown) includes 16 CB108 bins and 4 CB111 bins
- 5" non marking casters Includes two CB362 panels which accommodate various bin quantities,
- see chart above • 38 1/2" L x 24" W x 37 1/2" H
- Kleton blue finish
- · Shipped all-welded



Model						Wt.				
No.	Description					х	D"	х	Η"	lbs.
CB365		Cart on	ly		24	Х	38 1/2	х	36 1/2	95
Blue	Red	Yellow	Green	Stone						
CB366	CB367	CB368	CB689	CB690	24	х	38 1/2	х	36 1/2	133


MOBILE **BIN RACKS**

- CB359 single sided unit incorporates two CB362 panels and 2 1/2" non marking casters
- CB649 double sided unit incorporates six CB362 panels and 5" non marking casters
- Ideal for transportation of small parts
- Model CB090 (shown) includes 96 plastic bins of various sizes
- Kleton blue finish
- · Shipped all-welded

AND STOR



Model					Rack	D	ime	ensi	ons	;	Wt.
No.	De	scription			Туре	W''	х	D"	х	Η"	lbs.
CB359	Ra	ck only			Single	36	х	16	х	46	60
CB649	Ra	ck only			Double	36	х	24	х	63	120
Blue	Red	Yellow	Green	Stone							
CB650	CB651	CB652	CB681	CB682	Single	36	х	16	Х	52	83
CB089	CB090	CB091	CB683	CB684	Double	36	х	24	х	63	187





Model	1	Wt.		
No.	W''	х	Н"	lbs.
CB361	18	х	19	6
CB362	36	х	19	12

Customize it to your specifications. See page B56 for details

ACCESSORIES FOR PLASTIC BIN SUPPORT & BENCH RACKS

- · Round and square hooks,
- constructed in sturdy steel Can be mounted on louvered panels
- · Kleton blue finish





CC167

CC165

FOR LOUVERED PANEL						
Model No.	Description					
CC165	Round hook, 6"					
CC166	Round hook, 12"					
CC167	Square hook, 6"					
CC168	Square hook, 12"					

STATIONARY BIN RACKS


- · Bin racks made of 1 1/4" square tube frame Shipped all-welded
- · CB373 stationary single-sided bin rack
- incorporates three model CB362 panels See chart above for bin unit capacities
- CB653 double sided bin rack incorporates 6 CB362 panels
- Model CB656 (shown) includes 28 CB110 bins
- · Kleton blue finish



										-
Model		B				Dir	Wt.			
No.	Description		Туре	W" >	(D"	х	Н"	lbs.		
CB373	Ra	ck only			Single	36)	(12	х	61	60
CB653	Ra	ck only			Double	36 >	2 4	х	61	100
Blue	Red	Yellow	Green	Stone						
CB654	CB655	CB656	CB685	CB686	Single	36	x 12	х	61	107
CB370	CB371	CB372	CB687	CB688	Double	36	x 24	x	61	194



STEEL DRAWER CABINETS & CARTS









D. 9-Drawer Cabinets

48 Drawer





E. 30-Drawer Cabinets

A. 48, 72 & 96-Drawer Cabinets, Base included

INDUSTRIAL DRAWER CABINETS

- Provide a rugged modular
- storage system for small parts
- Select from a range of drawer capacities from 9 drawers to 96 drawers per cabinet Various drawer sizes are available
- including drawer heights of 2", 2 3/4" and 3 1/2", and drawer depths of 11 1/8" and 17" · Each drawer includes 2 adjustable
- dividers and full width handles
- · Drawer sides are slotted to hold dividers

C. 24-Drawer Cabinets

	Model	No. of		Dr	awer S	Size)	Cabinet	Wt.	Replacement
Туре	No.	Drawers	W"	х	D"	х	Η"	Height"	lbs.	Drawers
A	CA936	48	5 1/4	х	11 1/8	х	2 3/4	43	176	CA921
A	CA939	72	5 1/4	х	11 1/8	х	2 3/4	54	238	CA921
A	CA941	96	5 1/4	х	11 1/8	х	2 3/4	65	300	CA921
В	CA924	18	5 1/4	х	11 1/8	х	2 3/4	10 7/8	50	CA921
В	CA925	18	5 1/4	х	11 1/8	х	3 1/2	12 3/4	87	CD661
В	CA926	18	5 1/4	х	17	х	3 1/2	12 3/4	75	CA923
С	CA930	24	5 1/4	х	11 1/8	х	2 3/4	14 1/4	60	CA921
С	CA932	24	5 1/4	х	17	х	3 1/2	16 7/8	96	CA923
D	CA942	9	5 1/4	х	11 1/8	х	2 3/4	10 7/8	28	CA921
E	CA934	30	5 1/4	х	11 1/8	х	3 1/2	21 1/8	87	CD661
E	CA935	30	5 1/4	х	17	х	3 1/2	21 1/8	118	CA923
-	CA946	Extra I	Divider 1	for	2 3/4" H	ł D	rawer		0.1	-
-	CA947	Extra I	Divider	for	3 1/2" H	ł D	rawer		0.1	-



B20

WIRE SHELVES CARTS

STANDARD DUTY UTILITY CARTS

- · A durable, dependable transport solution that's easy to maneuver
- · Highly rigid construction lets you easily adjust at 1" increments
- Durable chrome plated handles, shelves and posts
- Overall height: 39"
- · Capacity: Up to 375 lbs with rubber casters of evenly distributed weight
- Includes: 2 handles, indicated number of shelves, and casters
- Shipped knocked down

			B	CLET	ON
Model No.	D"	Dimensions x	W"	No. of Shelves	Wt. Ibs.
2 SHELV	ES				
MK781	18	х	30	2	36.5
MK782	18	х	36	2	40.25
MK783	18	х	48	2	44.75
MK784	18	х	60	2	54
MK785	24	х	36	2	47.75
MK786	24	х	48	2	53.75
MK787	24	х	60	2	63.5
3 SHELV	ES				
MJ539	18	х	30	3	45
MJ540	18	х	36	3	50
MJ541	18	х	48	3	57
MJ542	18	х	60	3	72
MJ543	24	х	36	3	61
MJ544	24	х	48	3	70
MJ545	24	х	60	3	85



WIRE SHELF CARTS

- · Open-wire shelf design minimizes dust and
- increases air circulation and visibility
- High quality chrome-plated shelves and posts prevent corrosion
- Wire shelves can be adjusted easily and quickly
 Capacity: Up to 600 lbs of evenly distributed weight with rubber casters
 Includes: 5" resilient rubber casters (two swivel,
- two w/brake) and donut bumpers
- · Ship knocked down

					S		AN
Model		Di	imensio	15		No. of	Wt.
No.	D"	х	W"	х	Η"	Shelves	lbs.
4 SHEL	VES						
MJ527	18	х	36	х	74	4	64
MJ528	18	х	48	х	74	4	74
MJ529	18	х	60	х	74	4	94
MJ530	24	х	36	х	74	4	78
MJ531	24	х	48	х	74	4	90
MJ532	24	х	60	х	74	4	110
5 SHEL	VES						
MJ533	18	х	36	х	86	5	68
MJ534	18	х	48	х	86	5	78
MJ535	18	х	60	х	86	5	98
MJ536	24	х	36	х	86	5	82
MJ537	24	х	48	х	86	5	94
MJ538	24	х	60	х	86	5	114





SERVICE & UTILITY CARTS

Description

2 shelves

2 shelves

2 shelves

3 shelves

3 shelves

2 shelves w/drawer

2 shelves w/drawer

2 shelves w/drawer

HEAVY-DUTY UTILITY CARTS

- Ergonomic handle with molded-in storage compartments and cup holder
- Rounded corners
- Drawer supports 40 lbs. & has cam locking system



FLAT SHELF

UTILITY CARTS

of heavy boxes and parts easier

catches small parts and liquids

Optional middle shelf available

shelf with two shelf models)

Handle bin holds tools, parts

won't dent, rust or bend

Non-marking 5" casters

Top shelf moat around entire shelf

· Flat design makes loading and unloading





MH838

MH839

Black

MK746

Model No.

, Bei<u>ge</u>

MH830

Fits MK746, MK751 Fits MK747, MK752

Fits MH831, MH834 Fits MH830, MH833

TRADES CARTS

- Use as mobile workbench
- Sized to hold large tools and
- supplies yet fits in tight spaces Four compartmentalized parts box
- and two versatile storage bins
- Mounting bracket to serve as an electrical cord wrap and convenient handle bin to keep small tools/parts
- Constructed of black plastic
- for lightness and durability
- 6" casters (2 with brakes) Also available with a fully enclosed,
- lockable storage compartment Dimensions: 19 1/4" W x 38" L x 33 3/8" H
- Capacity: 150 lbs. (top shelf), 200 lbs. (bottom shelf)

Model No. MK744 Wt.: 50 lbs Trades Cart Mfg. No. 6180

Model No. MK745 Wt.: 68 lbs

Trades Cart w/Lockable Cabinet Mfa. No. 6180-88

STANDARD/MEDIUM DUTY STAINLESS STEEL CARTS

- · Durable chassis frame with protective
- bumpers on legs and handle Ideal for constant usage with light to moderate loads
- · 1" edge on three sides of top and middle shelves
- · All edges down on bottom shelf
- All rubber swivel casters standard

Model MI819 has two swivel and two fixed casters	• N	/lodel MI81	9 has two	swivel and	d two fixed	casters
--	-----	-------------	-----------	------------	-------------	---------


Model No.	0ve W"	era x	ll dime L"	nsi x	ions H"	Shel size		No. of Shelves	Caster size"	Cap. Ibs.	Wt. Ibs.
140.		^	- L	^		3120		011011003	3120	ins.	103.
MI812	16 1/4	Х	27 1/2	х	32 1/8	15 1/2 x	24	3	3 1/2	300	29
MI813	18 3/8	х	30 3/4	х	33	18 x	27	3	3 1/2	300	32
MI814	19 3/8	х	35	х	36 7/8	18 x	31	3	5	500	50
MI815	19 3/8	х	35	х	36 7/8	18 x	31	4	5	500	57
MI816	16 3/4	х	27 5/8	х	32 1/8	15 1/2 x	24	3	4	500	39
MI817	19	х	31	х	32 1/8	18 x	27	3	4	500	42
MI818	22 3/8	х	39 1/4	х	37 1/4	21 x	35	3	5	500	68
MI819	22 3/8	х	54 1/8	х	37 1/4	21 x	49	3	5	500	88

HEAVY-DUTY STAINLESS STEEL U FRAME CARTS Angled "U" shaped electronically welded stainless steel frame for strength Rugged 18-gauge reinforced stainless steel shelves are stain and rust resistant Units can be steamed cleaned for convenience and sanitation

- Leg and handle bumpers protect
- walls and furniture
- Capacity: 700 lbs.
- Includes: two heavy-duty 5" swivel casters combined with two 8" fixed cast

casters	for mobility						0	МК974
Model	Shelf		Din	nensions			Shelf	Wt.
No.	Quantity	Ľ"	х	W"	х	Н"	Clearance"	lbs.
MK972	2	32 5/8	х	19 3/8	х	34 1/2	19	53
MK973	3	32 5/8	х	19 3/8	х	34 1/2	10	63
MK974	3	22 3/8	х	22 3/8	х	37 1/8	11 3/8	78





LIGHT-DUTY **UTILITY CARTS**

- Durable plastic construction Comes with middle shelf
- and two convenient handles Shelves are flat with
- retaining beaded edges



wouer	ivirg.	capacity		- 21	en 512	e		ννι.
No.	No.	lbs.	W	х	L"	х	Н"	lbs.
MH223	3424	200	19	х	34	х	38	30
CART	W/ENCLO	sed end pa	NELS					
MH829	3355	300	18	х	31	х	37 1/2	37

STAINLESS STEEL GUARD RAIL CARTS

- · All welded stainless steel construction ensures durability and easy sanitation
- Ideal where goods need protection from rolling or sliding of shelves
- Integrated push handle and four swivel
- casters make these carts easy to move around Sound deadening panels under shelves reduce vibration and noise
- Standard handle and leg bumpers protect walls and doorways from damage
- Easy to clean, simply wipe down or steam clean



▶ LAKESIDE

Model	Shelf	Caster	Capacity		D	imensi	on	s	Shelf	Wt.
No.	Quantity	Size"	lbs	W"	х	L"	х	Н"	Clearance"	lbs.
MK975	3	4	500	19	х	31	х	34 3/4	9	45
MK976	2	5	700	22 3/8	х	38 5/8	х	37 1/4	18 3/4	65
MK977	3	5	700	22 3/8	Х	38 5/8	х	37 1/4	9 3/8	79



Dimensions

x

Х

х

х

х

х

30

36

46

30

36 х

30

36

46

Ŵ

16

24

24

16

24

16

24

24



Capacity lbs.

500

500

750

500

500

500

500

500











SHELF TRUCKS

The Kleton line of shelf trucks are the toughest and most economical in the industry. The shelves are made of 16-gauge steel and posts are 12 gauge. Guaranteed to outlast all other similar shelf trucks.



COMMERCIAL DUTY

- Available in 2 or 3 shelf models
- · Top and middle shelf can be installed with the edge up or down, depending on your application
- · Four 5" polyolefin casters, 2 swivel and 2 rigid
- 1 1/4" dia. tubular steel handle
- · 36" Overall height · 500 lbs. total capacity
- · Shipped knocked down · Colour: Kleton blue

	2 SI	HELF	3 SH	ELF
Shelf	Model	Wt.	Model	Wt.
Size"	No.	lbs.	No.	lbs.
18 x 30	MB482	43	MB485	54
24 x 36	MB483	54	MB486	70
24 x 48	MB484	69	MB487	93

STANDARD DUTY

- Available in 2 or 3 shelf models
- Top & middle shelf can be installed • with the edge up or down
- Four 5" casters, 2 swivel and 2 rigid
- · Quiet rolling, non marking casters
- 1 1/4" dia. tubular steel handle
- · 36" overall height

2 SHELF

	5 U	6	M	Ø.
3 SH	EL	F		

MI ETROAL

750 lbs. total capacity

· Colour: Kleton blue

Shipped knocked down

Shelf Size"	Model No.	Wt. Ibs.	Model No.	Wt. Ibs.
18 x 30	MB492	43	MB495	54
24 x 36	MB493	54	MB496	70
24 x 48	MB494	69	MB497	93

WITH PNEUMATIC WHEELS

- · Easy rolling 8" pneumatic casters enable this
- shelf truck to ride over cables, debris etc.
- 750 lbs. capacity Shipped knocked down
- Colour: Kleton blue
- Model Shelf No. of Wt. No. Size" Shelves lbs. **MB488** 24 х 36 2 60 **MB489** 24 48 2 75 Х **MB490** 24 х 36 3 90 MB491 24 48 3 100 х

HEAVY-DUTY

- These heavy-duty shelf trucks feature all welded
- 14-gauge steel shelves and 1/8" thick x 1 1/2" angle post.

MB448

- · Shelves are available with the edge up or down •
- Four 5" casters, 2 swivel and 2 rigid
- Quiet rolling, non-marking casters 1" dia. tubular steel handle
- 36" overall height •
- •
- 1000 lbs. total capacity
- Colour: Kleton blue 2 SHELF **3 SHELF** Shelf Model Model Wt. Model Model Wt. Size' Edge Up Edge Down lbs. Edge Up Edge Down lbs. 18 x 30 MB445 **MB444** 60 MB456 MB455 75 MB447 **MB446** MB459 MB458 65 85

MB449 WITH DRAWER

- · All welded
- · 5" non-marking casters .
- Drawer is 18" W x 21" D
- 1000 lbs. capacity

• Colour: Ki	leton blue				
Model		Shelf		No. of	Wt.
No.		Size"		Shelves	lbs.
MH255	24	Х	36	2	75
MH256	24	Х	36	3	85

100

MB461





100





MB460





SHELF TRUCKS

HI-BOY SHELF TRUCKS

- Available in 4 or 5 shelf
- All welded 14-gauge steel
- Shelves can be ordered with lip up or down
- Complete with heavy duty 5" resilient non-marking casters Kleton blue finish

•	Overal	height:	61"
•	1000 lb	s. capa	citv

4 SHELF 5 SHELF Shelf Model Model Wt. Model Model Wt. Size' Edge up Edge down lbs. Edge down lbs. Edge up 18 x 30 **MB468 MB467** 115 MB474 MB473 125 24 x 36 MB470 **MB469** 140 **MB476** MB475 155 24 x 48 MB472 MB471 165 **MB478** MB477 184

SHELF/PLATFORM TRUCK

- 2 in 1 shelf truck features removable top shelf and post assembly - converts into a platform truck when removed
- Standard features include: front corner non-marking bumpers, four 5" non-marking tired casters, two crossbars on push handle, all welded heavy gauge steel assembly
- Kleton blue finish

Model		Di	mension	s		Cap.	Wt.
No.	W"	х	L"	х	Н"	lbs.	lbs.
MB391	24	х	36	х	40	750	105

STOCK PICKING TRUCKS

- · Pick and transport stock without the need for a separate ladder
- 36" to top shelf with 13" clearance between shelves
- Overall height of 3 step models is 63"; 5 step height is 78"
- · Slip resistant steps; positive locking engagement
- 5" x 1 1/4" non-marking casters
- 1000 lbs. capacity
- Kleton blue finish

		7	\checkmark	
	X		F	
7	-	i,	F	
8	/		U	

Model	Shelf	No. of	Wt.
No.	Size"	Steps	lbs.
MB507	24 x 48	3	140
MB508	24 x 48	5	150
MD441	24 x 36	3	135
MD442	24 x 36	5	145

BC UTILITY/LAB CARTS

- · Smooth, injection-moulded shelves specially designed to resist staining and wipe clean easily
- 4 chrome-plated posts
- · Available in 4 different styles



v			
	F		KLE
	è	V	

ORDER PICKING TRUCKS

· Picking list holder eliminates inconvenience of handling loose papers

MB470

- Solid welded units are all 36" high · 2 shelf models have 27 1/2" clearance
- between shelves, 3 shelf models have 13" clearance
- 5" x 1 1/4" resilient non-marking casters .
- · 1000 lbs. capacity Kleton blue finish

OR Model Number Tray **Overall** Wt. Size" No. of Shelves Length" lbs. **MB440** 18 x 30 45 70 2 **MB441** 2 24 x 36 51 80 **MB442** 3 18 x 30 45 85 **MB443** 3 51 100

LOW PROFILE SHOP TRUCKS

- · Low top shelf means less distance to lift heavy objects
- · All-welded units constructed of reinforced 14 gauge steel
- Layback handle model is 25" high to top shelf with 16" shelf clearance
- Shelf trucks are equipped with either 5" x 1 1/4" resilient casters with a capacity of 1000 lbs. or 6" x 2" phenolic casters with
- a capacity of 2000 lbs.
- Kleton blue finish

5" RESILIENT NON-MARKING 6" PHENOLIC

Shelf	Model	Wt.	Model	Wt.
Size"	No.	lbs.	No.	lbs.
18 x 30	MB421	90	MB422	100
24 x 36	MB425	110	MB426	130
24 x 48	MB429	125	MB430	145
30 x 60	MR434	145	MB435	160

· Centre shelf on 3 shelf carts is adjustable on 1" centres · 4" non-marking swivel stem casters

- Capacity of 150 lbs. per shelf, 400 lbs. maximum per cart · Shelf colour is grey

