

# STORAGE EQUIPMENT



## WALL CABINET

- Ideal for locking up small parts, tools and supplies
- Holes are pre-punched in the back (on 16" and 24" centers) for easy mounting to walls
- A key lock in combination with 2-point latching helps prevent unauthorized access
- 36" H x 16" D x 32" W
- Storage capacity: 10.7 cu.ft.
- Weight: 81 lbs.



Model No. **TTW249** Mfg. No. 33

## WAR WAGON® ROLLING WORK BENCH



- 13 sq.ft. work surface
- Convenient height for attaching vise or pipe threaders
- Six doors, 3 in front, 3 in back for accessibility
- One drawer and two shelf compartments
- Top and bottom panels are 7-gauge (3/16") steel
- Cabinets are 12-gauge, fully arc welded steel
- 62" L x 32" D x 26" H (34" H w/casters)
- Load Capacity: 3400 lbs.
- Weight: 597 lbs.

### Drawer Configuration:

- 2 x **TTW276**, 1" standard-duty drawers
- 1 x **TTW283**, 6" heavy-duty drawer
- 1 x **TTW284**, 9.5" heavy-duty drawer

Model No. **TTW268** Mfg. No. 62

## STORAGEMASTER® ROLLING WORK BENCHES



**TTW255**

- Load capacity of 1000 lbs.
- Drawers have a 100 lbs. load rating
- Choose one of five pre-designed models (**TTW252**, **TTW253**, **TTW255**, **TTW256**, **TTW254**) or build your own (model **TTW257**)
- Recessed lock housing prevents theft
- Two-point latching on each door provides extra security
- Full length staked piano hinges prevent thieves from removing doors
- Heavy-duty 16 gauge construction
- Long lasting tan baked enamel finish
- 46 1/4" W x 25" D x 30 3/8" H (37 1/2" H with casters)

- TTW278** = 4.5" deep drawers
- TTW279** = 6" deep drawer
- TTW276** = 1" deep drawers
- TTW277** = 2.5" deep drawers
- TTW280** = 1" deep shelf

| Model No.     | Mfg. No. | Right Side  | Left Side         | Load Capacity lbs. | Wt. lbs. |
|---------------|----------|---|-------------------|--------------------|----------|
| <b>TTW257</b> | 47       | Basic unit, leave as is or customize                            |                   | 1125               | 229      |
| <b>TTW252</b> | 45       | 2 x <b>TTW278</b>   | 2 x <b>TTW278</b> | 1000               | 296      |
| <b>TTW255</b> | 49       | 3 x <b>TTW276</b> ,<br>4 x <b>TTW277</b> ,<br>1 x <b>TTW279</b> | 1 x <b>TTW280</b> | 1000               | 352      |

## STORAGEMASTER® MECHANIC'S CHEST

All of the same quality features as all of our *Storagemaster*® rolling work benches but with the following features geared toward the mechanic:



- Long lasting red baked enamel finish
  - 6" non-marking polyurethane caster set included
  - Recessed lock housing to prevent theft
  - Two-point latching on each door for extra security
  - Full length staked piano hinges prevent thieves from removing doors
  - Heavy-duty 16 gauge construction
  - Includes removable worktop mat
  - 46 1/4" W x 25" D x 30 3/8" H (37 1/2" H with casters)
  - Capacity: 1000 lbs.
  - Weight: 352 lbs.
- Includes:
- 3 - 1" deep drawers,
  - 4 - 2 1/2" deep drawers,
  - 1 - 6" deep drawer,
  - 1 - 1" deep shelf

Model No. **TTW254** Mfg. No. 63

## JOBMASTER® ROLLING WORK BENCHES

Designed for those individuals who need a strong and durable bench with basic storage needs.

- Load capacity of 800 lbs.
- *Watchman*® IV Single Lock System, one-time installation
- Recessed padlock housing helps prevent theft
- Heavy-duty drawers are rated for 50 lbs. and operate on ball bearing slides
- Two 4" swivel casters and two 4" rigid casters included
- Heavy gauge construction and tan baked on enamel finish
- Load Capacity: 800 lbs.



**Caution:** Caster brakes are not suitable for keeping the units in place when transporting. Secure by another method. Do not use casters on rough or uneven surfaces. Do not tow caster mounted boxes.

Model No. **TTW250** Mfg. No. 40

- Includes two drawers and a full width shelf
- 25" W x 40 3/4" L x 33 1/5" H (37 1/5" H with casters)
- Weight: 210 lbs.

Model No. **TTW251** Mfg. No. 44

- Includes four drawers and a half width shelf
- 25" W x 40 3/4" L x 33 1/5" H (37 1/5" H with casters)
- Weight: 240 lbs.

## ACCESSORY CASTERS

Load ratings are for all four wheels combined. Rating includes weight of *Knaack*® product and its contents. Each caster set includes two rigid and two swivel casters with mounting bolts. Caster sets with brakes have the brake unit located on the swivel casters. *Knaack*® casters are recommended for use with *Knaack*® products.

| Model No.     | Mfg. No. | Description  | Total Load Rating lbs. | Wt. lbs. |
|---------------|----------|--|------------------------|----------|
| <b>TTW270</b> | 404      | 4" Set No Brakes   | 1060                   | 11       |
| <b>TTW271</b> | 405      | 4" Set With Brakes   | 1060                   | 12       |
| <b>TTW272</b> | 505      | 5" Set No Brakes   | 1240                   | 14       |
| <b>TTW273</b> | 606      | 6" Set No Brakes   | 1360                   | 15       |
| <b>TTW285</b> | 607      | 6" Set With Brakes   | 1360                   | 16       |
| <b>TTW274</b> | 516      | 6" Caster Set With Brakes, Non-Marking Polyurethane Wheels | 2240                   | 18       |
| <b>TTW275</b> | 600      | 6" Caster Set With Brakes, Heavy-Duty                      | 3280                   | 25       |




All casters can be used on models **TTW208**, **TTW209**, **TTW210**, **TTW211**, **TTW219**, **TTW220**, **TTW222**, **TTW214**, **TTW221**, **TTW212**, **TTW213**. Caster **TTW272** can also be used on **TTW200**, **TTW201**, **TTW202**, **TTW203** & **TTW204**.

Casters **TTW273**, **TTW285** and **TTW275** can be used on all models. Please note that caster should only be used with specified models only.

**Caution:** Caster brakes are not suitable for keeping the units in place when transporting. Secure by another method. Do not use casters on rough or uneven surfaces. Do not tow caster mounted boxes.

## STORAGEMASTER® CHESTS


- *Watchman*® IV deadbolt style Lock System (patent pending)
- Recessed lock housing eliminates the use of bolt cutters from potential thieves
- Ergonomically designed recessed handles
- 16-gauge steel body with fully arc welded seams
- 7-gauge cover tang provides maximum protection
- Wide end panels resist distortion from pry bars
- Protected dual gas springs allows user one-handed easy opening
- Larger shelves make it more convenient to store large power tools
- Pre-punched holes make it easy to add accessory doors, to protect valuable tools while the chest is open
- 12 gauge caster-ready skids
- Baked-on enamel finish



| Model No. | Mfg. No. | A" | B" | C" | D" | E" | Storage Cap. cu.ft. | Wt. lbs. |
|-----------|----------|----|----|----|----|----|---------------------|----------|
| TTW200    | 69       | 66 | 37 | 30 | 60 | 34 | 35.3                | 282      |
| TTW201    | 79       | 78 | 49 | 30 | 48 | 46 | 38.2                | 287      |
| TTW202    | 89       | 78 | 49 | 30 | 60 | 46 | 47.8                | 337      |
| TTW203    | 90       | 78 | 49 | 30 | 72 | 46 | 57.5                | 380      |

## JOBMASTER® CHESTS


- *Watchman*® IV deadbolt style Lock System (patent pending)
- Ergonomically designed recessed handles
- 12-gauge caster ready skids
- 16-gauge steel body with fully arc welded seams provides extra strength and weather protection
- Reinforced 7 gauge cover tang provides maximum protection
- Extra wide reinforcing channel for added strength
- Deeper cover to allow more closing room
- Baked-on enamel finish



| Model No. | Mfg. No. | A"     | B" | C" | D" | Storage Cap. cu.ft. | Wt. lbs. | Closed Height" |
|-----------|----------|--------|----|----|----|---------------------|----------|----------------|
| TTW208    | 32       | 34 3/8 | 19 | 32 | 13 | 5                   | 84       | 18 3/8         |
| TTW209    | 36       | 37 3/8 | 19 | 36 | 16 | 7                   | 97       | 21 3/8         |
| TTW210    | 42       | 39 3/8 | 19 | 42 | 18 | 9                   | 114      | 23 3/8         |
| TTW211    | 60       | 49 1/4 | 24 | 60 | 23 | 20.25               | 190      | 28 1/4         |
| TTW212    | 4824     | 49 1/4 | 24 | 48 | 23 | 16                  | 158      | 28 1/4         |
| TTW213    | 4830     | 61 1/4 | 30 | 48 | 29 | 25.25               | 194      | 34 1/4         |
| TTW214    | 2472     | 49 1/4 | 24 | 72 | 23 | 24.5                | 216      | 28 1/8         |

## PORTABLE FIELD STATION


- All lift handles and latch levers have been recessed to protect them during transport
- The desk top is hinged allowing for 9 cubic feet of storage space underneath
- Large swing up door on top section features easy to use rotary latch, easy to grip recessed handle, gas spring to assist with opening and closing and prop arm that locks in place to hold door open
- Bottom section provides ample storage space for tools and equipment
- Deep door design on lower section doors provide additional storage space in each door
- Entire cabinet is secured by the *watchman*® IV Lock System
- 7/8" holes at the top of the cabinet will accept 1/2" electrical fittings for adding a power outlet to the cabinet
- Storage capacity: 115.2 cu.ft.
- Weight: 624 lbs.



Model No. TTW245  
Mfg. No. 119

## KNAACK® CLASSIC STORAGE CHESTS

- One time lock install uses a master (No. 5) or equivalent
- Recessed lock housing protects padlock from bolt cutters
- Easy to grab recessed side lift handles, even with a gloved hand
- Built-in tool tray for better organization of small parts and accessories
- 16 gauge steel construction
- 12 gauge caster ready skids
- Baked on enamel finish






| Model No. | Mfg. No. | A"     | B" | C" | D"     | Storage Cap. cu.ft. | Wt. lbs. | Closed Height" |
|-----------|----------|--------|----|----|--------|---------------------|----------|----------------|
| TTW219    | 2032     | 34 5/8 | 19 | 32 | 13     | 5                   | 77       | 18 1/4         |
| TTW220    | 2048     | 49 1/4 | 24 | 48 | 23     | 16                  | 145      | 28             |
| TTW221    | 3068     | 37     | 30 | 60 | 22 1/2 | 31                  | 225      | -              |
| TTW222    | 2060     | 49 1/4 | 24 | 60 | 23     | 20                  | 180      | 28             |

**All these chests can be turned into a mobile unit with casters!**




## JOBMASTER® CABINETS

- *Watchman*® IV deadbolt style Lock System (patent pending)
- Recessed lock housing eliminates the use of bolt cutters from potential thieves
- Recessed handles and levers
- Convenient foot latch for handsfree opening
- Adjustable/removable bottom shelf
- 16-gauge formed steel
- Permanent and optional shelves in door allow for more tool organization
- Baked-on enamel finish



| Model No. | Mfg. No. | A" | B" | C" | D" | Storage Cap. cu.ft. | Wt. lbs. |
|-----------|----------|----|----|----|----|---------------------|----------|
| TTW234    | 111      | 57 | 60 | 24 | 60 | 47.5                | 385      |
| TTW235    | 112      | 57 | 60 | 30 | 60 | 54.9                | 670      |
| TTW236    | 109      | 57 | 60 | 24 | 60 | 47.5                | 394      |
| TTW237    | 139      | 57 | 60 | 30 | 60 | 59.4                | 445      |
| TTW238    | 99       | 57 | 60 | 30 | 60 | 59.4                | 519      |
| TTW239    | 129      | 48 | 51 | 24 | 72 | 48                  | 452      |



# TOOL BOXES & STORAGE EQUIPMENT

## TRAXX® SERIES TOOL STORAGE CHESTS & CABINETS

Traxx® is designed for professionals where ball-bearing slides, interchangeable drawers and mobility at a competitive price are a necessity.

- Posi-Latch™ drawer securing system
- Sidewall post construction
- Full-extension ball-bearing slides
- Interchangeable drawer system with quick release slides
- 1200 lbs. load rating
- Positive stop side handles for easy lifting
- 14-gauge caster support channels with 5" x 2" casters
- Drawer liners included in all models
- Easy-grip, over-molded keys



| Model No. | Mfg. No. | Type    | No. of Drawers | Casters | Overall Dimensions<br>W" x D" x H" |
|-----------|----------|---------|----------------|---------|------------------------------------|
| WK750     | TRX4111  | Chest   | 11             | -       | 40.5 x 17.8 x 19.8                 |
| WK753     | TRX4112  | Cabinet | 12             | 5" x 2" | 41 x 18.1 x 41.1                   |
| WK746     | TRX267   | Chest   | 7              | -       | 26.1 x 17.8 x 19.8                 |
| WK747     | TRX2707  | Cabinet | 7              | 5" x 2" | 26.5 x 18.1 x 41.1                 |

## ACCESSORIES FOR THE TRAXX® SERIES

### 6-DRAWER SIDE CABINET

- 15.9" W x 18.1" D x 35.3" H

Model No. **WK763**  
Mfg. No. TRX1606



### 4-DRAWER FULL-HEIGHT LOCKER

- 15.9" W x 18.1" D x 54.6" H

Model No. **WK766**  
Mfg. No. TRX1604

## PROJECT CENTER

- Large moulded top with compartments for convenient storage of small parts and cord wrap
- Wraparound bumper provides protection for other surfaces in work shop
- Pegboard sides with four hooks for hanging tools
- Smooth-action full-extension drawer slides
- 4" x 2" (101.6 x 50.8 mm) casters allow easy manoeuvring
- External lock bar provides visible security
- Five full-width drawers for assorted organizational needs

Model No. **NH486**



## WATERLOO PRO SERIES CHESTS & CABINETS

- Quality 18-gauge double wall construction
- Roll-formed friction slides that are designed to carry heavy loads
- Full extension drawers
- Chest lid has 2-point locking system
- 14-gauge caster channel
- Red finish with tool cart
- Tool cart includes particle board work surface
- 5" x 2" casters
- Capacity: 1200 lbs.



| Model No.         | Mfg. No. | No. of Drawers | Overall Dimensions<br>W" x D" x H" |
|-------------------|----------|----------------|------------------------------------|
| <b>40" SERIES</b> |          |                |                                    |
| TT069             | WI-1511  | 11             | 40.5 x 16 x 19.8                   |
| TT070             | WI-1500  | 15             | 41 x 18.1 x 41.1                   |
| TT071             | WI-1510  | 10             | 41 x 18.1 x 35.6                   |

### 26" SERIES

|       |         |    |                    |
|-------|---------|----|--------------------|
| TT072 | WI-1265 | 12 | 26.1 x 16 x 19.8   |
| TT073 | WI-1200 | 12 | 26.5 x 18.1 x 41.1 |
| TT074 | WI-1210 | 12 | 26.1 x 12.1 x 19.8 |
| TT075 | WI-900  | 9  | 26.5 x 18.1 x 41.1 |
| TT076 | WI-1000 | 10 | 26.1 x 12.1 x 19.8 |
| TT077 | WI-500  | 5  | 26.5 x 18.1 x 41.1 |
| TT078 | WI-624  | 6  | 26.1 x 12.1 x 15.4 |
| TT079 | WI-700  | 7  | 26.5 x 18.1 x 41.1 |
| TT080 | WI-600  | 6  | 26.1 x 12.1 x 15.4 |
| TT081 | WI-300  | 3  | 26.5 x 18.1 x 34.7 |

## ACCESSORIES FOR WATERLOO PRO SERIES

### 4-DRAWER INTERMEDIATE CHEST

- 26.1" W x 12.1" D x 12.3" H

Model No. **TT082**  
Mfg. No. WI-404

### SIDE CABINET

- 17.8" W x 11.1" D x 29.3" H

Model No. **TT085**  
Mfg. No. 70747

### NON-SLIP DRAWER LINER ROLL

- 16.5" W x 156.8" L

Model No. **NH784**  
Mfg. No. 70017

### SIDE SHELF

- 17.5" W x 15" D

Model No. **TT023**  
Mfg. No. SSR-2

### 6-DRAWER SIDE CABINET

- 15.9" W x 18.1" D x 35.3" H

Model No. **TT083**  
Mfg. No. 70156

