

HAND TRUCKS



Model No.	Overall Height"	Width"	Nose Plate "	Wheel Type	Wheel Size"	Cap. lbs.	Wt. lbs.
MH300	46	21.5	8 x 14	Pneumatic	10 x 3 1/2	600	25
MH301	49	21.5	9 x 14	Pneumatic	10 x 3 1/2	600	25
MK728	46	19.5	8 x 14	Rubber	8 x 2	600	29
MK729	45	19.5	8 x 14	Rubber	8 x 2	600	29
MH302	51.5	21.5	8 x 14	Pneumatic	10 x 3 1/2	600	23
MK731	46	20	8 x 14	Pneumatic	10 x 3	800	40
MK730	46	20	8 x 14	Rubber	8 x 2	1000	40
MA376	48	20 - 23	8 x 12	Rubber	10 x 2	1000	40
MA286*	48	17	8 x 14	Rubber	8 x 1 5/8	500	24

*Aluminum frame

NYLON FRAME HAND TRUCKS

STRONG AS STEEL, LIGHTER THAN ALUMINUM

- Long fibre nylon frame will not mar products or damage goods
- Choice of two frame styles (flat or curved back), three handle styles (single loop, dual handle, or continuous handle), and two wheel types (10" x 2" solid rubber or 10" x 3 1/2" pneumatic)
- Aluminum handles, 8" x 14" nose plate
- 12" frame width
- Stair glides integrated into frame
- 500-lbs. capacity



LOOP HANDLE

Wheel Type	Model No.	O.A. Height"	Wt. lbs.
10" Rubber	MD630	52	21
10" Pneumatic	MD631	52	19

FLAT BACK FRAME

10" Rubber	MD632	52	21
10" Pneumatic	MD633	52	19

CURVED BACK FRAME*

10" Rubber	MD632	52	21
10" Pneumatic	MD633	52	19

*Handles cylindrical or flat beds.

FOLDING ALUMINUM HAND TRUCK

- Lightweight folding design allows for easy transportation and storage
- Strong cast aluminum frame for added durability
- Includes elastic strap for securing loads
- Telescopic handle extends from 25" to 39"
- 5" grey non-marking rubber wheels
- Folded dimensions: 15" L x 2" W x 25" H
- Extended dimensions: 15" L x 15" W x 39" H
- Capacity: 150 lbs.
- Weight: 9.1 lbs.


Model No. ML035



NYLON LITE HAND TRUCK

- Lighter than aluminum trucks
- Glass filled nylon frame will not mark products or damage goods
- Steel handle, 7" x 14" steel base plate
- 10" x 3 1/2" pneumatic tires
- 12" frame width
- 48" overall height
- 500-lbs. load capacity
- Weight: 22 lbs.

Model No. MD642



CONVERTIBLE NYLON LITE TRUCK

- Glass filled nylon frame
- Steel handle and 7" x 14" steel base plate
- Lighter than equivalent aluminum trucks
- Converts in seconds from two wheel hand truck to four wheel platform truck
- 5" swivel casters, 10" x 3 1/2" pneumatic wheels
- 12" frame width and 20 1/2" overall width



Model No.	Hand Truck		Platform/Truck			Wt. lbs.
	Cap. lbs.	Ht"	Cap. lbs.	Ht"	Lgth"	
MD643	600	49 1/2	600	36	37	25

22657E

ALUMINUM HAND TRUCKS

MAGLINER[®] ALUMINUM HAND TRUCKS

Strength, durability and versatility in a lightweight truck. Totally modular trucks have no welds to break. 500-lbs. capacity on all models. Shipped knocked down.



Model No.	Nose Plate"	Overall Ht."	Wheels	Wt. lbs.
A. MA250	7 1/2 x 14	48	8" Mold-On	18
B. MA269	7 1/2 x 18	48	8" Mold-On	19
C. MA275*	7 1/2 x 14	48	10" Pneumatic	21
D. MA258	7 1/2 x 14	52	8" Mold-On	19
D. MA255	7 1/2 x 14	52	10" Pneumatic	21
E. MA263	7 1/2 x 14	48	8" Mold-On	21
E. MA261	7 1/2 x 14	48	10" Pneumatic	24
F. MA271	9 x 18	48	8" Mold-On	19
F. MA270	9 x 18	48	10" Pneumatic	22
G. MA266	7 1/2 x 18	52	8" Mold-On	19
G. MA265	7 1/2 x 18	52	10" Pneumatic	22
H. MA268	7 1/2 x 18	52	8" Mold-On	19
H. MA267	7 1/2 x 18	52	10" Pneumatic	22

* Frame has a curved back for cylindrical or flat loads.

ACCESSORIES

FRAME EXTENSIONS

32" Hi-U frame extension
Model No. MD437

23" Hi-U frame extension
Model No. MD438

16" Hi-U frame extension
Model No. MD439



FOLDING EXTENSIONS

20" extruded channel nose extension
Model No. XZ273

30" extruded channel nose extension
Model No. MA317

24" formed plate extension,
low plate profile for
sliding under loads
Model No. XZ272



STAIR CLIMBERS

Magnesium with
replaceable low-friction
polymer skid bars
Model No. MA315

Heavy-duty magnesium
sliders help loads slide
up and down stairs,
includes wear strips
Model No. MA314



RETRACTABLE 4TH WHEEL

- Retractable 5" caster wheels support load in inclined position
- Folds flush against frame when not in use



HAND TRUCK ACCESSORY BAG

- 4 adjustable straps with buckles
- Pocket is 9" W x 11" D, other tool pocket is 12" W x 3" D
- Overall dimensions: 12" W x 18" L

Model No. MH231



CAREFREE[®] TIRE

- Micro-cellular foam tire will never go flat
- 10" x 3 1/2"
- Ball bearings

Model No. MD445



CURB RAMP

- Light, portable
- Easy to handle
- Dim.: 27" x 27"
- Capacity: 600 lbs.

Model No. MH224



COBRA SERIES ALUMINUM 2 IN 1 TRUCK



MD755

FEATURES	COBRA JR.	COBRA SR.
Handle:	Dual Grip	Continuous
Frame Cross Braces:	3	4
Nose Plate:	18" wide	18" wide
O.A. Height:	51 3/4"	61 3/4"
Hand Truck Capacity:	600 lbs.	600 lbs.
Platform Truck Capacity:	1250 lbs.	1250 lbs.
Frame Bed:	12" x 38"	12" x 50 3/4"
Swivel Casters:	5" x 1 1/4"	5" x 1 1/4"
Pneumatic Wheels:	10" x 3 1/2"	10" x 3 1/2"
Weight:	39 lbs.	42.5 lbs.
Model No.	MD464	MD754

OPTIONAL REMOVABLE ALUMINUM DECKS

Model No.	Description
MD755	12" W x 42" L for Cobra Jr.
MD756	12" W x 55" L for Cobra Sr.

Dual grip blue handle available on Cobra Jr. Only



ALUMINUM ECONOMY CONVERTIBLE TRUCKS

- Converts easily from 2-wheel to 4-wheel
- 10" pneumatic wheels & 5" casters
- 18" W noseplate
- Shipped knocked down

SPARTAN JR.

Model No. MH257

- Capacity: 2-wheel - 500 lbs.
- 4-wheel - 1000 lbs.

SPARTAN SR.

Model No. MH258

- Capacity: 2-wheel - 500 lbs.
- 4-wheel - 1000 lbs.



GEMINI[®] CONVERTIBLE ALUMINUM TRUCKS

- Converts in seconds from a two-wheel hand truck to a four-wheel platform truck
- Lightweight, high strength aluminum construction
- Balanced to assure easier wheeling and positive load control
- 18" wide x 7 1/2" deep rugged cast aluminum noseplate
- 5" swivel casters
- 10" x 3 1/2" full pneumatic wheels
- 16 5/8" frame width, 20 1/2" O.A. width
- Shipped knocked down

GEMINI XL

- Proven most durable convertible hand truck
- Large 17" x 52" deck
- Capacity: As hand truck - 625 lbs. As platform truck - 1250 lbs.
- Deck included

Model No. MH865



Gemini Jr.
MA319



Gemini Sr.



Model No.	Hand Truck		Platform Truck			Wt. lbs.
	Cap.	Ht."	Cap.	Ht."	Lgth."	
MA319	500 lbs.	51	1000 lbs.	40	38	44
MA320	500 lbs.	61	1000 lbs.	45 1/8	51	45
MH865	625 lbs.		1250 lbs.			53

OPTIONAL SNAP-ON DECK	Description	Wt. lbs.
MB198	43 1/4" For Gemini Jr.	5
MB197	56" For Gemini Sr.	6

HAND TRUCKS

COBRAPRO™ BATTERY POWERED CONVERTIBLE ALUMINUM HAND TRUCKS

- High torque battery powered drive system makes easy work of hauling heavy loads over distances and up standard truck ramps
- Fingertip speed control combined with infinitely variable throttle allows for easy control under all conditions
- Power drive works in 2-wheel and 4-wheel mode and can be disengaged to allow the trucks to be used in manual mode
- Units come complete with charger and rechargeable battery module
- Spare battery modules available for high usage conditions
- 10" pneumatic tires for use on a variety of terrains



Model No. MK934

COBRAPRO™ SENIOR
Handle Type: Continuous
Frame Cross Braces: 4
Overall Height: 61.75"
Level Ground Capacities
 2-Wheel Capacity: 600 lbs.
 4-Wheel Capacity: 1200 lbs.
17 1/2° Ramp Capacities:
 2-Wheel Capacity: 600 lbs.
 4-Wheel Capacity: 950 lbs.
Frame Bed: 12" x 50.75"
Weight: 112.5 lbs.



Model No. MK935

COBRAPRO™ JUNIOR
Handle Type: Dual Grip
Frame Cross Braces: 3
Overall Height: 51.75"
Level Ground Capacities
 2-Wheel Capacity: 600 lbs.
 4-Wheel Capacity: 1200 lbs.
17 1/2° Ramp Capacities
 2-Wheel Capacity: 600 lbs.
 4-Wheel Capacity: 950 lbs.
Frame Bed: 12" x 38"
Weight: 109 lbs.



HAND TRUCK WITH SWIVEL CASTERS

- 4" rear poly casters allow small diameter turns in tight areas
- Combination two handle and utility bar design reduces strain of lifting, lowering and transporting
- 8" deep nose plate
- 10" x 2 3/4" semi-pneumatic front wheels
- Overall dimensions: 47 1/2" H x 20 1/2" W
- 650-lbs. capacity
- Wt. 53 lbs.



Model No. MD758

HEAVY-DUTY SHOVEL NOSE TRUCK


- Five year weld guarantee
- 13" deep x 17 1/2" x 1/4" thick tapered nose plate
- 1" heavy duty schedule 40 pipe frame
- Easy grip continuous handle frame design
- 8" x 2" cast iron center moldon rubber wheels with 3/4" axle
- Overall dimensions: 53" H x 20 1/2" W
- 900-lbs. capacity
- Weight: 60 lbs



Model No. MD760

COLLAPSIBLE HAND TRUCKS

- Ideal for sales representatives/general deliveries
- Fold down for convenient storage and portability
- All welded steel
- 6" x 14" noseplate
- Folding nose extension increases nose length to 12"
- 12" overall width x 43 3/4" overall height
- Stair glides included
- 5" polyolefin wheels
- 200-lbs. capacity



Model No.	Type	Nose Plate	Storage Size H" x D"	Wt. lbs.
MA380	Steel	Folding	24 x 7	18

STEEL CONVERTIBLE TRUCKS

- Quickly converts from a 450 lbs. capacity hand truck to a 600 lbs. capacity platform truck
- 55 1/2" high hand truck with 8" x 14" nose plate comes with stair glides
- 14" x 45 1/2" platform truck deck
- 3" bolted-on polyolefin casters
- 14-gauge tube frame



Model No.	Wheels	Wt. lbs.
MA332	10" Semi-Pneumatic	52
MA333	10" Full Pneumatic	50

STEEL APPLIANCE TRUCKS

- Move large appliances easily
- Heavy duty all welded industrial construction using 1", 16-gauge tubular steel
- Vinyl bumpers on face of truck to prevent damage to appliances
- Balanced, 60" H frame for added leverage for better mobility
- 24" overall width, 5 1/2" x 24" nose plate on all units
- Heavy duty continuous stair climbers for easy climbing/descending
- All models come with 8" solid rubber wheels
- Vending machine mover models MA004 and MF120 are 72" H for added control
- MA004 & MF120 have fold out rear legs with two 3" swivel casters
- 800-lbs. capacity



MF118

MA004

Model No.	Ratchet	Wt. lbs.
MF118	Eccentric - 2-pc Belt & Clasp	49
MA002	Standard - 14' Belt	49
MF119	Auto Rewind - 2-pc Belt & Clasp	49
MA004	Standard - 14' Belt	58
MF120	Auto Rewind - 2-pc Belt & Clasp	58

MAGNESIUM APPLIANCE TRUCKS

- Move really big loads easily
- Automatic strap recoil
- Patented roller bearing crawlers and ratchet strap tightener
- 60" or 66" high, 17" wide
- Load capacity: 500 lbs.
- 5" x 24" nose plate
- One 3 ply, 2 piece 14' web strap with improved ratchet strap tightener and automatic strap recoil
- Padded with non-marking vinyl and soft, protective felt
- Bronze self-lubricating bushings in 6" x 2" cushion tread rubber wheels
- Roller bearing crawler treads



MA008

Model MF575 includes retractable 3 1/2" swivel casters to support loads during operation.

MF575



Model No.	Height"	Retractable Load Support	Wt. lbs.
MA008	60	No	41
MF575	60	Yes	57



MOVING STRAPS

- Allows for safe movement of appliances and larger items
- Movers can constantly stay in an upright position during the move, reducing the risk of back injuries
- Nylon (5000 lbs. test)
- Includes 2 transport straps and 2 adjustable straps



Model No. MD223

22378E