

DRUM WRENCHES & ACCESSORIES

BUNG NUT WRENCHES

- Fits almost any metal or plastic, male or female bung nuts or plugs
- 13" overall length
- Offset handle
- Wt.: 4 lbs.

Model No. DA638

Annealed ductile iron

Model No. DA637

Non-sparking, manganese bronze alloy



UNIVERSAL PLUG WRENCHES

- Fits virtually all steel, plastic and fibre drum plugs
- 15 1/2" long for extra leverage and hand clearance
- Wt.: 4 lbs.

Model No. DA635

Solid ductile iron

Model No. DA636

Non-sparking, zinc aluminum alloy



DRUM WRENCHES

- Socket head which fits over 3/4" plugs and prongs that fit the crossbar of 2" plugs
- Fits other types of closures too

Model No. DA641

Dual Head - 2.5 lbs.

Model No. DA642

Non sparking - 2.5 lbs.

Model No. DA643

Socket head - 2.0 lbs.



DELUXE PLUG WRENCH

- Non-sparking bronze alloy wrench fits virtually all industrial drums including those with square or hex plugs, male or female bung nuts or plugs and fittings with lugs and crossbars
- Built-in 1 1/4" wrench for tightening faucets into drums; eliminates the need for extra tools
- Wt.: 2 lbs.

Model No. DA634



PORTABLE 55-GALLON DRUM STAND

- Designed for compact storage of 55-gallon steel, plastic and fibre drums
- Interlocking design secures stand to drum
- Enclosed fork tubes lock stand onto forks and allow for secure transportation of drums with fork or pallet truck
- Allows drums to be stacked three high
- 1,500-lb. maximum capacity per stand
- Powder coated safety yellow for visibility
- Wt.: 35 lbs.

Model No. DC073



DRUM DEHEADER

- Opens any standard size and gauge drum in minutes
- Contoured to drum radius; fast, one-hand operation
- Leaves edge smooth
- Constructed of fine forged steel with a precision quality steel blade
- Wt.: 6 lbs.

Model No. DA312

Drum deheader

Model No. DA299

Replacement blade



PAIL PAL

- Designed to open and close virtually any type of steel or plastic pail
- Cast steel construction for durability
- Yellow zinc-plated finish with moulded blue plastic hand grip
- Includes a special cutting tool to open sealed lids on plastic pails

Model No. DC041



DRUM UPENDER

- This 40" long upender provides the necessary leverage for moving horizontal drums to a standing position
- 2 1/2" wide toe plate prevents denting of drum
- 1 1/2" hook fits over most drum heads
- Wt.: 10 lbs.

Model No. DA653



PLASTIC PAIL OPENER

- Ideal for opening plastic buckets and pails
- Unique leverage point ends cover distortion and cutting
- Holds pail down while it lifts lid evenly; lid lifts off in seconds
- Aluminum construction
- 16" long
- Wt.: 0.5 lbs.

Model No. DA639



CAN TIPPER

- Handles 5-gallon round cans
- Safety lock holds container securely
- Dispensing height of 10"
- Folds for easy storage
- Ring can be bent to accept square cans
- Wt.: 9 lbs.

Model No. DA651



DRUM LIFTERS

DRUM/OVERPACK LIFTERS

- A safe method of moving 45-gallon steel drums
- Design allows for quick, gentle loading. Drum stays upright during lift
- Low-profile clamp design on 45-gallon lifter lowers open (lid must be on) or closed head steel drums all the way to bottom of overpack
- 70-gallon overpack lifter picks up both 70-gallon steel overpack drums and 45-gallon steel drums
- Universal model **DA876** handles many lever-lock closure fibre drums typical steel drums and 45-gallon rimmed plastic drums
- Capacity: 1000 lbs.

Model No.	Description	Wt. lbs.
DA224	45-gal. Lifter	21
DA225	70-gal. Overpack/45-gal. Lifter	22
DA876	Universal Lifter	25
DC094	Stainless Steel Universal Lifter	25



HORIZONTAL DRUM LIFTING HOOKS

- Horizontally lifts 45-gal. steel drums, 34"- 36" long
- Alloy steel lifting ring, steel rods, malleable iron hooks
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Model No. DA164

- Spark resistant lifting hook is made of bronze and copper for safe handling
- Capacity: 1000 lbs.
- Weight: 5 lbs.

Model No. DA163



FORK LIFT ATTACHMENT

- Converts any lift truck to a below-the-hook carrier
- 360° rotation safety hook for safe, easy lifting
- All steel construction
- Dimensions: 14" L x 31" W x 7" H
- Capacity: 1000 lbs.
- Wt.: 42 lbs.

Model No. DA231



SINGLE FORK HOOKS

- Convert forklift to a hoist in seconds
- Feature a safety latch and all-welded steel frame
- Safety yellow
- Available with fixed or swivel hook



Fixed Hook Model No.	Swivel Hook Model No.	Work Load Limit, lbs.	Fork Pocket W" x H"	Hook Opening"	Wt. lbs.
DA167	DA688	3000	4 3/8 x 2 3/8	27/32	13
DA168	DA689	3000	5 3/8 x 2 3/8	27/32	15
DA169	DA690	3000	6 3/8 x 2 3/8	27/32	16

AUTO-GRIP DRUM LIFTER

- Easy, no-tilt lifting of rimmed steel drums
- Self-energizing: the heavier the load, the tighter the grip
- Attaches to any hoist, crane or forklift using single fork hook attachment
- Heavy-duty, annealed, ductile iron construction
- Large curved foot at bottom of stabilizing arm prevents drum damage
- Capacity: 3000 lbs.
- Wt.: 31 lbs.

Model No. DA226



AUTOMATIC VERTICAL DRUM LIFTER

- Lifts and transports closed steel drums easily and effectively
- Unit grips automatically; releases only when drum is set down
- Operator does not have to be at pick up or drop points
- 45-gallon model is available in standard steel or type 304 stainless steel construction
- Capacity: 1000 lbs.



Model No.	Lifts Drum Size Gallons	Construction Material	Wt. lbs.
DC091	30	Steel	45
DA203	45	Steel	50
DC092	45	Stainless Steel	50
DC093	85	Steel	59



REINFORCED NYLON DRUM SLING

- Securely and economically lifts steel, plastic and fibre drums from 12" to 24" in diameter
- Ideal for use with a forklift truck
- Compact size of sling allows it to be stored in truck until it's needed
- Reduces drum damage which occurs when using steel handlers
- Steel ratchet tightens the reinforced nylon lifting belt around body of the barrel holding it securely in place
- 4" wide, double stitched carrying strap on the belt slips easily over the truck forks
- Capacity: 1000 lbs. • Wt.: 5 lbs.

Note: Open ratchet fully when installing sling on 45-gal. drums.


Model No. DA208



MULTI-PURPOSE OVERHEAD DRUM LIFTER WITH WRENCHES

- Simple three-arm design allows for safe lifting of closed head 30 to 55-gallon steel, plastic, and fiber drums with top lips
- Each removable arm also functions as a wrench for use on different drum plugs, faucets, and rim ring bolts.
- Lifts drums up to 800 lbs capacity
- Powder coat finish for durability
- Wt.: 20 lbs.

Model No. DC095



MANUAL VERTICAL DRUM LIFTER

- Allows raising and moving of closed-head 45-gallon steel drums
- 1 1/2" diameter lifting eye is mounted above 4 hot rolled steel supports
- Safety lock pin prevents accidental opening
- Attaches to overhead crane or hoist
- Dimensions: 23" W x 28 1/4" D x 13 1/2" H
- Capacity: 700 lbs.
- Wt.: 15 lbs.

Model No. DA228



DRUM HANDLERS

DRUM ROCKERS

- Safe method of upending up to 45 gallon drums for moving, draining or storing
- No lifting, straining, or danger of drum tipping backwards
- Load drum into the draining position in seconds
- Constructed of all welded heavy gauge steel tubing
- Handle is removeable
- Swivel casters are 2 1/2" polyolefin, wheels are 3" polyolefin
- Capacity: 1000 lbs.

Model No.	Description	Wt. lbs.
DA592	Two swivel casters, two 3" wheels	38
DA591	Four 3" wheels	35
DA589	Frame only, no wheels	31

KLETON



LOW PROFILE DRUM TRUCK

- Ideal for moving full, open top 45-gallon drums without spilling contents
- With a low-level frame, only 1" from the ground, this truck allows for easy loading of drums up to 1000 lbs.
- Hinged handle moves forward and backward for easy pushing or pulling
- All-welded steel construction with 8" x 2" rubber wheels and 4" resilient non-marking swivel caster for smooth movement and easy manoeuvrability
- Weight: 35 lbs.

Model No. DA579

KLETON



MOBILE DRUM KARRIERS

- Transports, rotates, tilts and drains fully loaded drums up to 800 lbs.
- Easy to operate
- Drum can be raised to a floor clearance of 5 1/8" to 11 1/2", automatically sets lock which prevents unintentional lowering
- Tilt lock on each side of unit keeps drum in desired position
- All-welded steel construction; 8" polyolefin wheels and 4" swivel caster for easy manoeuvrability
- Weight: 106 lbs.

MORSE

Model No.	Drum Size
DA189	45-gallon steel; 22 1/2" dia.
DA190	45-gallon plastic and steel; 22 1/2" - 24" dia., 34" - 36" H
DA191	25 and 45 gallon steel; 18" - 22 1/2" dia.
DA192	21" - 23" dia. fibre and steel
DA193	25 and 45 gallon fibre and steel; 18 1/2" - 22 1/2" dia.

STEEL DRUM DOLLIES

- Built to withstand constant use
- All-welded frame
- 24" inside diameter handles
- 45-gallon drums



DA602



DA583

KLETON

Model No.	Frame Style	Approx. Height"	Wheel Type	Cap. lbs.	Wt. lbs.
DA602	Round	5 1/2	3" Polyolefin	750	22
DA583	X-Frame	5 1/2	3" Polyolefin	750	22

POLYETHYLENE DOLLY

This 500 lbs. capacity, structural foam polyethylene dolly won't dent, corrode or rust. Solid bottom construction with 2" lip contains small spills. Handles 45 gallon drums. Overall dimensions: 24 3/8" diameter x 7 1/8" H. Rolls on five 3" hard rubber casters. Weight: 17 lbs. Colour: Black.

Model No. NA714



Rubbermaid
Commercial Products

LIL'DOLLY™ PAIL DOLLY

- Designed for use in hospitals, food processing plants, manufacturing locations, hotels, restaurants
- anywhere 5, 6 & 15 gallon pails are used
- 5 dual wheel swivel stem casters
- Inside diameter: 11"
- Capacity: 75 lbs.
- Weight: 2 lbs.
- Colour: Beige

Model No. MD527



DRIP CATCHER DOLLY

This oversize drum dolly catches drips in the pan, keeps area around drum clean. Handles standard 45-gallon drums and larger containers up to 27" in diameter. 2" lip contains drips, holds absorbent sock (included).

Overall dimensions: 31 1/2" diameter x 5 3/4" H 3 3/4" x 1/4" rubber casters. Capacity: 1000 lbs. Weight: 26 lbs. Colour: Safety yellow.

Model No. DA600



VALLEYCRAFT
ALL IN A DAY'S WORK

DRUM TRUCKS

DRUM TRUCKS

- All-welded tubular steel frame
- Designed to handle containers from as small as 18" in diameter to large 45-gallon steel drums
- Ideal for loading drums onto pallets, or for going over curbs or uneven docks
- Free standing when loaded
- Rolls on 10" front and 6" rear rubber-tired wheels
- Capacity: 1000 lbs.
- Wt.: 50 lbs.

Model No. DA594

- Same as above but with 10" front rubber-tired wheels only
- Weight: 44 lbs.

Model No. DA593

KLETON



DA593

DA594



DRUM TRUCK FOR PLASTIC & FIBRE DRUMS

- Handles plastic and fibre drums from 18" to 25" in diameter and 24" to 41" in height
- 2" ratchet strap secures drum in place
- All welded, tubular steel construction
- 10" front and 6" rear rubber-tired wheels
- Capacity: 800 lbs.
- Wt.: 56 lbs.

Model No. DA595

KLETON



For use with plastic or fibre drums.

MULTI PURPOSE DRUM TRUCK

- Handles heavy drums, loads and unloads pallets, and functions as a high capacity drum dispenser
- For use with 70-imperial gallon salvage or Overpack drums, 25 and 45-gallon steel drums and most 25 and 45-gallon plastic drums
- Extra long U-shaped handle provides added leverage when loading and moving heavy drums
- 63" L x 19 1/2" W frame allows easy access through narrow aisles
- Self-standing for upright storage, and self-supporting for draining
- Four 8" Mortuf wheels with roller bearings or 10" pneumatic wheels allow truck to travel a straight line and permit easy steering around corners with minimal effort
- All-welded, steel pipe or type 304 stainless construction
- Capacity: 1000 lbs.


Model No.	Wheel Type	Construction Material	Wt. lbs.
DA580	Mortuf	Steel	65
DA581	Mortuf	Stainless Steel	63
DC096	Pneumatic	Steel	85

MORSE

DA580



Positions Drum for Dispensing



DC096

ALUMINUM FRAME DRUM TRUCK WITH HAND BRAKE

- Static free for use around volatile materials
- Ideal when the truck itself must be lifted or transported
- Rear wheels act as a pivot to raise truck onto curbs or pallets
- Automatic, spring-loaded chime hook engages rim of 25 or 45-gallon steel drums quickly and safely
- 10" x 2 1/2" solid rubber tires
- Hand brake on model no. DA586 is designed to slow down or stop both load carrying wheels whenever necessary
- Gives operator complete control of truck, even on ramps or inclines
- Capacity: 1000 lbs.

Model No. DA586

with hand brake - Wt.: 52 lbs.

Model No. DA582

without brake - Wt.: 48 lbs.



Lightweight aluminum frame with hand brake.



DA586

DRUM TRUCKS & HANDLERS

ERGONOMIC DRUM TRUCK WITH SWIVEL CASTERS

- Rear swivel casters permit greater lateral manoeuvrability, allowing truck to pivot about its axis
- Especially useful in a restricted space, ie. when unloading drums from a truck or in a crowded warehouse
- Provides four-wheel support while transporting drum and steering truck
- 10" *Mold-On* rubber wheels and 6" *Mold-On* rubber swivel casters
- Capacity: 1000 lbs.
- Wt.: 79 lbs.

Model No. DA864

WESCO®



SINGLE BAR DRUM TRUCKS

- Handles 45-gallon steel drums
- Heavy-duty 1" structural pipe frame with double welded joints
- Machined steel load wheels behind nose prongs help ease lifting of drum
- Classic single bar frame design
- Kickstand and vinyl handle grips included
- Available with cast iron centre *Mold-On* rubber wheels with 1" (ID) roller bearings or polyolefin wheels
- 24" wide at handle, 16 1/4" wide at nose
- Capacity: 1000 lbs.

WESCO®

Model No.	Wheel Type	Wt. lbs.
DA883	Polyolefin	50
DA882	<i>Mold-On</i> Rubber	64



POLY DRUM TRUCKS

Standard Drum/Drain Overpack



WESCO®



DA596

- Easy-to-use belt systems keep 45-gallon drums and *Overpacks* secure
 - Unique nose pads pick up drums without the fear of puncturing
 - 10" *Mold-On* rubber wheels with roller bearings
 - Capacity: 1000 lbs.
- Standard Truck** handles all steel, plastic and fibre drums (except *Overpacks*). 23 1/2" W x 23 1/2" D x 61" H.
- Overpack Truck** features an extra-long belt that can handle overpak drums. 23 1/2" W x 23 1/2" D x 61" H.
- Drum Truck/Drain Stand** can be used as a drum truck and drain stand. Handles all drums except *Overpacks*. 16 1/2" drain height. 23 3/4" W x 24 5/8" D x 57" H.

Model No.	Truck Type	Wt. lbs.
DA588	Standard	83
DA590	Overpack	83
DA596	Drum/Drain	83

DRUM SPOTTER

- Moves drums to and from pallets easily across floors, effectively and efficiently
- Designed for 45-gallon steel or plastic drums with various rims and most fibre drums with clamp-on lids in a size range of 22 to 23 1/2" dia. and 34 to 36" high, weighing up to 800 lbs.
- Features two forged lifting hooks which slide under the top rim of drum
- Handle provides adequate leverage to lift heavy drums
- Base has built-in counterweight for stability
- Features two 6" polyolefin load wheels and a 5" rear swivel caster for easy steering

Features:

- Simple to operate
- Compact
- Holds drums upright
- No power truck required
- Self-supporting
- No balancing required

MORSE®


Model No.	Lifting Capacity lbs.	Max. Pallet Height"	Wt. lbs.
DA933	800	6	145



DRUM LIFTERS & HANDLERS

STEEL DRUM GRABBERS

- Lift and transport one or two 45-gallon steel drums without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum
- Heavy gauge grabber slides onto truck forks and is locked with 2 turn down screws



Model No.	Description	Fork Pocket Inner Dia."	Capacity lbs/Drum	Wt. lbs.
DC026	Single Drum Grabber	5.5 x 2	1,000	121
DC039	Double Drum Grabber	7 x 2.25	1,000	198

POLY DRUM LIFTER

- Patented fork truck attachment for handling most 55 and 30 gallon (US) poly drums
- Fork truck driver does not have to leave cab to engage or disengage drum
- Suited for poly drums that have at least a 3/16" top lip (chime)
- Fork pocket size: inside 1 1/2" x 5 3/8"
- Capacity: 1000 lbs.
- Shipped knocked down



Model No. DA932



GRAVITY-ACTUATED MECHANICAL AUTO-GRIP™

- Most efficient on consistently-sized loads
- Equipped with standard jaws only that grip with pressure equal to the weight of the drum and adjust to fit 30, 55 or 85-gallon steel, fiber or overpack drums
- Mechanism adjusts to grasp any cylindrical object 18-28" in diameter
- Spring-and-cam actuated jaws automatically grip while engaging drum
- Fork tube size is 2" x 6" x 20"
- Capacity: 1500 lbs.


Model No. DA175



GRAVITY-ACTUATED MECHANICAL AUTO-GRIP™

- Exclusively designed for use with 55-gallon plastic drums
- 3" jaws fit snugly under top rim of full or empty plastic drums
- Turnbuckle mechanism adjusts to grasp any cylindrical object 22-24" in diameter
- Spring-and-cam actuated jaws automatically grip while pressure of the drum forces them down
- Fork-mounted to easily attach and unattach from forklift in seconds
- Fork tube size is 2" x 6" x 20"
- Capacity: 1000 lbs.

Model No. DC014



SELF-POWERED MAXI-GRIP™ DRUM LIFTER

- Single function hydraulic drum grip made exclusively for moving and stacking drums vertically
- Wrap-around clamping action of rubber lined over-sized jaws securely grip 45-gallon plastic, fibre or steel drums
- Safely transports open top drums; wrap-around design will not allow soft-sided plastic or fibre open top drums to deform and fall out of grip
- Hydraulic power pack runs on two 12 volt batteries (not included), and comes standard with a built-in charging system
- Unit is controlled by pressing rocker switches on a control module that can be hand-held or attached magnetically next to the driver
- 2 separate rocker switches turn unit on, and open /close jaws
- Capacity: 2000 lbs. • Weight: 400 lbs.
- Product demonstration video available

Model No. DA183




DRUM HANDLERS & RACKS

DRUM STACKING RACK

- Designed to give maximum flexibility
- Provides 4-way fork truck or pallet truck entry allowing for easy drum relocation
- Each rack holds two 45-gallon drums and is stackable up to 4 high
- Overall dimensions: 54 1/2" x 29 1/2"
- Wt.: 38 lbs.
- Shipped knocked down

Model No. DA537



KLETON

DA537 (qty 2)
shown for product
illustration

BARREL HAWK™ RAPTOR DRUM HANDLER

- Reduce the risk of back and muscle injury
- Jaw clamp attaches securely to rimmed steel drums while hand operated hydraulic pump lifts 45-gallon drum up to 19" off the floor
- Easy to lift drum from any pallet, skid or containment basin location because handler legs fit right into corner
- Rolls smoothly on one rear swivel caster (w/brake) and two front fixed wheels
- Designed for use on steel drums only
- Overall dimensions: 49 1/2" W (Outside) 43" W (Inside) x 40" D x 60 1/2" H
- Capacity: 800 lbs.
- Wt. 232 lbs.
- Strapping not included

Model No. DA809

BARREL HAWK
RAPTOR




HYDRA-LIFT DRUM HANDLERS

- A safe way to lift, move, tilt and drain 45-gallon drums
- Manual control; pump-handle lifts drum, maximum extension is 45 strokes
- Hand crank controls tilt angle of drum up to 360° in either direction for controlled pouring of contents, chain wheel controls tilt for 72° and higher lift models
- 800 lbs. full drum capacity; 500 lbs. half-full capacity
- Rugged, heavy-duty welded frame; 8" polyolefin wheels and 4" swivel casters; screw-down floor lock
- Power lift and power tilt with a choice of motors is optional
- Shipped partially disassembled
- Powered models eliminate the manual effort of drum raising and tilting; increases productivity and safety
- Optional MORStop™ tilt brake holds drum tilt position constant even when tension from the pull chain is removed

MANUAL LIFT - For the 60" dispensing height unit, the tilt function is controlled by a hand crank. The 72" and 96" tilt control is with a chain wheel.

POWER LIFT - Moving valve handle to up, down or hold position controls drum height; 25 second lifting time.

POWER LIFT & TILT - One valve controls lifting, another controls tilt angle. Ideal when hand crank or chain drop is out of reach.



Dispensing Height"	H"	L"	O.D."	I.D."
60	55	60	44	37
72	55	60	44	37
84	61	72 1/2	49	42
96	69	76 1/2	50	43

Dispensing Height			
60"	72"	96"	Description
Model No.	Model No.	Model No.	
DA138	DA143	DA153	
DA139	DA144	DA154	
DA140	DA145	DA155	
DA141	DA146	DA156	
DA142	DA147	DA157	

OPTION

DC077 MORStop™ Tilt Brake Option

* Filter, regulator, lubricator and valve not included ** Battery and charger included

DRUM LIFTERS & HANDLERS

FORK MOUNTED DRUM LIFTERS

- Allows operator to raise, transport, tip and drain loaded drums without leaving their seat
- Geared design with pull chain or battery powered with remote for controlled dispensing of open and closed head steel drums up to 2000 lbs
- Manipulation of pull chain or push button remote (battery powered model) for 360° rotation
- Attaches easily to truck by sliding onto forks and tightening screw locks
- No electrical or hydraulic connections to truck are needed
- 6 1/2" W x 30" D x 2 1/2" H fork pockets; inside width between truck forks must be at least 24 1/2"
- For use with steel drums
- Optional **MORStop™** tilt brake holds drum tilt position constant even when tension from the pull chain is removed

Model No.	Drum Size Gallons	Tilt Type	Full Drum Cap. lbs.	Half Drum Cap. lbs.	Wt. lbs.
DC076	45	Electric	1200	600	395
DC075	45	Geared	1500	800	213
DA133	45*	Geared	800	500	169
DA135	45	Geared	1500	800	178
DA134	45	Geared	2000	100	361
DA136	25**	Geared	800	500	169
DA137	25	Geared	1500	800	178

OPTION

DC077 **MORStop™ Tilt Brake Option**

* 22 1/2" diameter ** 19 1/2" diameter

DRUM LIFTERS

Safely transport, position and drain open and closed head steel drums. Simply attach the lifter on hook of chain block, monorail or crane, cinch saddle around drum, and then raise to the required height and position. Ratchet mechanism securely tightens saddle to drum. Choice of manual or geared models.

A. MANUAL TILT

- Ideal for low level pouring and dumping operations • 800-lb full drum capacity, 500-lb half drum capacity • Tilt lock on each side of hanger frame is used to secure drum in a vertical or horizontal position

Model No.	Drum Size	Wt. lbs.
DA199	45 gallon steel; 22 1/2" dia.	46
DA200	25 and 45 gallon steel; 18 1/2" - 19" and 22 1/2" dia.	46
DA201	21" - 23" dia. fibre or steel	46
DA202	25 and 45 gallon fibre and steel; 18 1/2" - 19" and 22 1/2" dia.	46

B. GEARED TILT

- Accurate pouring from any height • Handles drums up to 2000-lb full drum capacity
- Rotation of drum is controlled by 6' chain loop
- Optional **MORStop™** tilt brake holds drum tilt position constant even when tension from the pull chain is removed

Model No.	Drum Size	Full Drum Cap. lbs.	Half Full Cap. lbs.	Wt. lbs.
DA121*	45 gallon steel; 22 1/2" dia.	800	500	71
DA124*	45 gallon steel; 22 1/2" dia.	1500	800	85
DA123**	45 gallon steel; 22 1/2" dia.	2000	1000	170
DA122	45 gallon plastic; 22 1/2"-24" dia.	900	500	121
DA125	25 and 45 gallon steel; 18 1/2" - 19" and 22 1/2" dia.	800	500	71
DA126	25 gallon steel; 19" dia.	1500	800	90
DA127	45 gallon fibre and steel; 22 - 23 1/2" dia.	800	500	71
DA128	45 gallon fibre and steel; 22 - 23 1/2" dia.	1500	800	91
DA129	25 and 45 gallon fibre and steel; 18 1/2" - 19" and 22 1/2" dia.	800	500	71

OPTION

DC077 **MORStop™ Tilt Brake Option**

* Chains can be guided into locking slots to hold the drum's position, allowing the operator to let go

**Worm gear speed reducer on DA123 tends to let drum stay where it is stopped

ULTRA GRIP™ DRUM HANDLERS

- This self-powered, hydraulic unit is the most versatile drum handler available
- Ideal for loading, stacking, inverting and controlled dumping of 45-gallon steel, plastic or fibre drums
- This three-function machine, GRIPS, TILTS forward up to 125°, and ROTATES left or right a full 360° while on either a horizontal or a vertical axis
- Bonded rubber-lined jaws match the contour of the open-top plastic, fibre or steel drum, allowing them to be safely lifted and dumped
- Hydraulic power pack runs on two 12-volt batteries (included), and comes standard with a built-in charging system
- Unit is controlled by pressing rocker switches on a control module that can be hand-held or attached magnetically next to the driver
- Four separate rocker switches turn unit on, open and close jaws, control left/right rotation, and tilt unit forward and backward
- Product demonstration video available

Model No.	Drum Type	Jaw Size"	Lifting Cap. lbs.	Wt. lbs.
DA171	Steel only, 16" - 26" dia.	9 x 20	2000	672
DA172	Plastic/fibre/steel (45 gal. only)	9 x 30	2000	701

B124



Controlled pouring up to 2000 lbs.

MORSE

MORStop™ Tilt Brake

The unique **MORStop™** Tilt-Brake mechanism automatically stops and holds the drum tilt angle! It is a simple, compact anti-backdrive device which functions smoothly and quietly in both directions.



A. Manual Tilt




B. Geared Tilt

MORStop™ Tilt Brake



360° rotation on a vertical or horizontal axis; 125° forward tilt.



Available for 45-gallon steel, plastic or fibre drums.

VALLEYCRAFT
ALL IN A DAY'S WORK