MAINTENANCE EQUIPMENT & SUPPLIES

INDUSTRIAL PAINTS

- All purpose premium quality alkyd enamel paints and primers
- 360° spray any way customized valve allows paint formula to flow in any direction without clogging
- · Ideal for hard to reach places
- Completely empties in any position for more square foot coverage
- No more throwing away half-empty cans
- Guaranteed not to clog
- Fights rust, non fading
- Indoor and outdoor use
- Excellent coverage
- Fast drying, 5 minutes to the touch
- Recoat in 45 minutes
- 20-oz. enamel cans (15-oz. net wt.)
- · Each case contains 6 cans

360° Spray Any Way Valve Guaranteed Not to Clog SavesTime & Money Completely **Empties** No More Throwing Away Half-

Empty Cans

INDUSTRIAL PRIMERS

ZINC RICH COLD GALVANIZING PRIMER

- · A fast dry weld through primer that provides anti-corrosive protection for steel
- Designed with 360° spray any way customized valve
- · Chemically fuses to metal to lock-out air and moisture
- 20-oz cans (15-oz net wt.)
- · Each case contains 6 cans

INDUSTRIAL SPRAY PAINTS

Model No.	Colour	Model No	. Colour
ENAMEL			
KP001	Blue	KP006	Red
KP002	Aluminium	KP007	Machinery Grey
KP003	Gloss Black	KP008	Satin Black
KP004	Flat Black	KP009	New Equipment Yellow
KP005	Gloss White		

PRIMER

KP010	Red Oxide Sandable
KP011	Grey Sandable
KP012	Clear Acrylic

INDUSTRIAL PRIMERS

Model No.	Description	Colour	
KP013	Zinc Rich Cold Galvanized Primer	-	
KP014*	Zinc Oxide Primer	Yellow	
KP015*	Zinc Oxide Primer	Green	

*360° Spray Any Way valve not available

ZINC OXIDE PRIMERS

- · Ultimate primer for adhesion to bare metal, aluminum magnesium and steel
- 16-oz cans (12-oz net wt.)
- · Each case contains 6 cans





KP013

COMPATIBLE SURFACES:

Aluminum Metal/iron/steel (use primer first over bare metals)

Paper products Some plastics (test on an inconspicuous area)

Fibreglass Wood (use primer first over bare wood)

Glass (limited adhesion) Wicker

Masonry

INCOMPATIBLE SURFACES:

Styrofoam High impact styrene Vinyl Leather

GAS-POWERED PRESSURE WASHERS

HEAVY-DUTY PROFESSIONAL

- 13 HP Honda® GX engine
- 15.2 metre (50 ft) high pressure hose
- · Integrated detergent feed system with adjustable unloader Industrial pump with ceramic
- plungers and thermal protection
- · 4 quick connect nozzles with lance

SPECIFICATIONS:

Mfg. No.: KC4350GPC Cleaning Units: 14000 **Pump Pressure:** 3500 PSI Flow Rate: 4.0 US gal/min Hose Length: . 15.2 m Gun/Lance: 145 cm Low Oil Sensor: Yes **Thermal Protection:** Yes Dimensions: 23.5" x 32.5" x 27' Shipping Weight:

68 ka

Model No. TEB611





WATER BROOMS

Fast and easily cleans any well drained surface in about 1/5 the time it takes with a water hose using about 1/10 the water

KP006

- Attaches to any hose and converts any portable water system into a manœuvrable stream
- Models NA099 to NA101, assembled
- steel construction with brass nozzles Model NA103, non-assembled steel
- construction with brass and rubber nozzles
- All models have a brass open/close control valve as well as dual bearing rubber casters
- Ideal for parking lots, sidewalks, alleys, patios, loading docks, unloading areas and everywhere you would usually use a garden hose

Model	Cleaning	No. of	
No.	Width"	Nozzles	
NA099	24	5	
NA100	36	7	
NA101	42	8	
NA103	32	6	



PORTABLE HEAVY-DUTY CONTRACTOR WET/DRY VAC

POWERFUL COMMERCIAL VAC & BLOWER

Includes:

- 1 1/2" Dia., 7' Lock-On® hose (NI902)
- · Auto-claw nozzle (NI903)
- · Crevice tool with adapter and tool holder (NG631)
- · High efficiency collectorbag (NG358)
- · Cartridge filter (NC217)

SPECIFICATIONS:

Motor: 5.5 peak HP Watts: 345 W Capacity: 4 gallons Electrical Rating: 120 V, 60 Hz, 11.5 A

Sealed Pressure: 59" CFM: 195

Dimensions: 15" x 18" x 15" Weight: 11 Lbs.

Model No. NI901



INDUSTRIAL VACUUMS

ALL WET/DRY SHOP VAC*S COME COMPLETE WITH ACCESORIES & 1 YEAR LIMITED WARRANTY

WET/DRY VACS 6.5 PEAK HP SINGLE STAGE MOTOR

1 1/4" Plastic Accessories Included:

- 8' hose w/curved wand Lock-On (NG366)
- Metal extension wands (2 pcs) (NC245)
- Dual surface nozzle (NC264)
- Combination nozzle and squeegee (NG624)
- Crevice tool (NC267)
- Round brush (NC266)
- Gulper tool (NG625)
- High efficiency dual ply collector bag (NG358 or NG359)
- Reusable filters (NG351)
- · High efficiency cartridge filter (NC217)

Models NG333 and NG332 also includes an accessory basket





Model No.	Tank Cap. gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure"	Cord Length'	Wt. Ibs.
NG332	6.5/29.5	Poly	6.5	185	9.7 A	66	18	19
NG333	8/36.3	Stainless	6.5	185	9.7 A	66	18	47
N1731	5/22.7	Stainless	6.5	185	9.7 A	66	18	28



WET/DRY VACS 2.5 & 3.0 PEAK HP 2 STAGE MOTORS

1 1/2" Plastic Accessories Included:

- 12' hose for Model NG334 (NC249)
- 10' hose with locking swivel end (NG363)
- Chrome plated extension wands (2 pcs.) (NG626)
- Master nozzle 14" (NG627)
- Squeegee shoe 14" (NG628)
- Brush shoe 14" (NG630)
- Rug shoe 14" (NG629)
- Crevice tool (NG631)
- Utility nozzle (NG632) Round brush (NC269)
- UltraWeb® cartridge filter (NI735)
- High efficiency dual ply collector bag (NG358, NG359 or NG360)
- Foam sleeve (NC252)









Model NI732 also includes an accessory basket.

Models NI730 and NG337 come with two 10" heavy duty wheels.

Model	Tank Cap.	Tank	Peak		Electrical 120 V	Sealed	Cord	Wt.
No.	gal/L	Туре	HP	CFM	60 Hz	Pressure"	Length'	lbs.
N1732	10/45.5	Poly	2.5	100	9 A	90	35	27
N1730	8/36.3	Stainless	2.5	100	9 A	90	35	47
NG337	16/72.7	Stainless	3.0	109	11 A	100	35	62



COMMERCIAL WET/DRY VACS 4.0 PEAK HP 2 STAGE MOTORS

1 1/2" Metal Accessories Included:

- 10' hose with locking swivel end (NG363)
- Chrome plated extension wands curved with tool lock (2 pcs.) (NC218)
- Master nozzle chrome plated 14" (NC219)
- Squeegee shoe 14", double blade (NC220)
- Rug shoe 14" (NC221)
- Brush shoe 14" (NC222) Crevice tool 15" (NC207)
- Master nozzle chrome plated 6" (NC239)
- Round dusting brush (NC242)
- CleanStream® abrasive resistant cartridge filter (NI736)
- High efficiency dual ply collector bag (NG359 or NG360)
- Reusable filters (NG351)
- Foam sleeve (NC252)









Model	Tank Cap.	Tank	Peak		Electrical 120 V	Sealed	Cord	Wt.
No.	gal/L	Туре	HP	CFM	60 Hz	Pressure"	Length'	lbs.
N1734	11.5/52.3	Poly	4.0	110	11.5 A	105	35	53
NG340	8/36.3	Stainless	4.0	110	11.5 A	105	35	57
NG341	12.5/56.8	Stainless	4.0	110	10 A	105	35	75



B172 13386E

INDUSTRIAL VACUUMS

CONTRACTOR SERIES WET/DRY VAC

- · Double filtration system
- Automatic float shutoff prevents wet pick up overflow
- 11.5-gallon stainless steel tank
- Convenient two top and side carrying handles with a handy cord wrap

INCLUDES:

12' (3.66 m) flexible hose x 1 1/2" (3.81 cm)

2 metal wands 1 1/2" (3.81 cm)

14" (35.56 cm) metal nozzle with brush

Detachable 14" (35.56 cm) squeegee

Reusable dry filter (NG351)

Foam filter (NC252)

Disposable collector filter bag (NC238)

Rugged 3-wheel base with handle

SPECIFICATIONS:

6 peak HP Motor:

Watts: 345

Capacity: Dry: 11.2 gallons Wet: 11 gallons

Electrical rating: 120 V, 60 Hz, 9.3 A Sealed Pressure: 63"

18 1/4" L x 18 1/4" W x 25 3/4"H **Dimensions:**

Weight: 40 3/4 lbs.

Model No. NI650



SHOP SWEEPER

- · A time saving system for ridding large areas of litter
- 27" wide sweeping path cleans machine shops, factories, shipping and parking areas
- Needs no motor or batteries and can be used indoors or out
- Lightweight structural foam frame has a large 1.4 cu. ft. capacity hopper
- Polypropylene main and side brooms adjust for different surfaces

SPECIFICATIONS

Sweeping Width:

Main Broom: 8" Dia. x 19" L 12" Dia.

Side Broom: 1.4 cu.ft. capacity Hopper:

10" semi-pneumatic/3" casters Wheels:

Overall Dimensions: 48" L x 31 1/4" W x 35 3/4" H

Weight: 50 lbs

Model No. NC099



FACTORY INDUSTRIAL WET/DRY VAC

3.0 PEAK HP - 2 STAGE MOTOR

- · Factory tough large capacity 44-gallon vacuum and head assembly built to handle the toughest shop jobs
- · Model NG343 converts your steel drum into a wet/dry vac
- Heavy-duty dolly with Model NG342 only

INCLUDES:

Model

NG342

No.

- 12' hose (NC249)
- Master nozzle chrome plated 6" (NC239)

Tank

Type

Metal

• Elbow joint 2 1/2" (NC277)

Tank Cap.

Gal./L

44/204.5

NG343 Head Assem. N/A

UltraWeb® cartridge filter (NI735)



109

11 A



100

18

30

NG342

ULTRA CONTRACTOR SERIES WET/DRY VAC

Powerful 6.5 peak HP motor vacuum with quiet operation is tough enough for any cleaning task, wet or dry. Features an 8-gallon stainless steel tank, together with a versatile selection of heavy-duty accessories and a deluxe accessory storage basket. Heavy-duty dolly for easy mobility.

INCLUDES:

- 6' flexible hose, 2 1/2" Dia. (NG365)
- 6' nozzle with brush (NC272)
- · Crevice tool (NC274)
- · Foam filter sleeve (NC252)
- Disposable filter bags 3/pkg (NC238)
- · 14" floor nozzle with brush

SPECIFICATIONS:

6.5 peak HP Motor: Watts: 390 Capacity: 8 gallons Electrical Rating: 120 V, 50 Hz, 12 A

Sealed Pressure: 60" CFM: 210

17 1/4" L x 17 1/4" W x 32 1/2" H Dimensions:

Weight: 33 lbs. Model No. NI440

DRY PICK-UP VAC

Vac comes complete with an electric power nozzle. Ideal for general office cleaning, hotel, motel and restaurants, where carpet and bare floor cleaning is essential. For dry pick-up only.

INCLUDES:

- · 6' hose with curved wand Posi Lock (NG361)
- · Chrome plated extension wands Posi Lock (2 pcs.) (NG635)
- Dual surface nozzle (NC264)
- · Round brush (NC266)
- · Crevice tool (NC267) Gulper tool (NG625)
- High efficiency dual ply collector bag (NG358)
- · Super cloth polyester filter (NG352)

SPECIFICATIONS:

Motor: 2.0 peak HP Watts: 390 Capacity: 5 gallons Electrical Rating: 120 V, 60 Hz, 7.4 A

Sealed Pressure: יחצ CFM: 100

Dimensions: 17 1/4" L x 17 1/4" W x 32 1/2" H Weight: 23 lbs.

Model No. NG346

INDUSTRIAL DUTY PUMP VAC 6,5 HP

Never lift heavy tanks of water again!

- Vacuums water quickly and easily
- · Empties itself using any standard garden hose (not included)
- Converts from wet/dry vac to pump-out operation
- · Quiet vac pumps water up to heights of 50' (15 m)
- Excellent for flooded basements, warehouses, hot tubs or spas

INCLUDES:

- 2 1/2" X 8' and 1 1/4" X 8' hose
- (2) 2 1/2" and (2) 1 1/4" wands
- 2 1/2" Floor nozzle w/squeegee and brush
- Crevice tool
- Utility nozzle
- Elbow grip
- Hose holder Concentrator nozzle
- 1 1/4" Combination nozzle w/squeegee
- Foam filter
- Cartridge filter,
- · Collector filter bag



Model No.	Tank Size	Tank Type	Motor Type	СЕМ	Sealed Pressure"	Amp @ 120 V	Cord Length'	Shpg. Wt. Ibs.
N1733	15 gal.	Poly	Single	200	58	12	18	35



INDUSTRIAL VACUUMS

INDUSTRIAL/COMMERCIAL PORTABLE VACUUM

Ideal for office, computer rooms and general commercial cleaning where portability is a must, 1 1/4" plastic accessories and a shoulder carrying strap are included.

- 6' wire hose (NG364)
- Plastic extension wand (1 pc. upon request) (NC213)
- Master nozzle 6" (NG634)
- Round brush (NC266)
- Crevice tool (NC267)
- 2 1/2" 1 1/4" conversion unit (NC279)
- Collector filter bag (NC202)

SPECIFICATIONS:

Motor: CFM:

Electrical Rating: 120 V, 60 Hz, 6.8 A.

Cord length: 18' Weight: 11 lbs.

Model No. NG345





Elbow

Joint



	Model No.	Description					
A.	NC252	Foam sleeve (mandatory except with cartridge filters)					
B.	NG351	Dry reusable cloth filter					
C.	NC217	Cartridge filter					
D.	NG352	Full polyester filter					
E.	NC196	Cloth filter bags					
F.	NC236	Disposable collector filter bags					
G.	NG358	High Quality collector bag					
H.	NI530	Cleanstream® filter for all AllAround® wet/dry shop vacs					
I.	NI243	Filtres Hepa					
J	N1735	UltraWeb® Cartridge Filter					
K.	N1736	Cleanstream® abrasive resistant filter					
A	PPLICATION	FILTER TO USE					
We	et Pick-up						
	ne quantities	A or H or K					

Laura accontition
Large quantities
Quick pick-up

C or H or K Ultra series A + C or H A + J or K

Dry Pick-up

A + B or A + EGood Better A + D or A + F or C or J Best C + F or J + FSuper C + G or H + G J + G or K + G

HOSES

Model No.	Description	Siz	Size			
NG361	W/curved wand, Brute® only	1 1/4" x	6'	-		
NC215	W/swivel end (crushproof)	1 1/2" x	25'	Black		
NC223	Standard hose	1 1/4" x	18'	Black		
NG363*	W/threaded locking swivel	1 1/2" x	12"	Black		
NG364*	W/wire for Hippo®	1 1/4" x	6'	Black		
NG365	Standard hose	2 1/2" x	6'	Black		
NG366	W/curved wand	1 1/4" x	8'	Black		
NC249	W/swivel	1 1/2" x	12'	Black		
NG633	Wire wound	1 1/4" x	18'	Black		



NC242

NC206*

NC219

NC243

NC220

NC221 NC222

NC277

NG627 NG628 3" metal round brush for

14" metal master nozzle

attachments required

6" gulper tool for irregular surfaces

14" squeegee shoe single blade

14" squeegee shoe double blade

Polypropylene master nozzle Polypropylene squeegee

Polypropylene carpet shoe

14" rug shoe 14" Brush shoe for dry floor cleaning

irregular surfaces

Elbow joint 2 1/2"

Wands

NC241 6" squeege shoe for wet pick-up *Does not fit extension wands, to be used with hoses.

12' wands for overhead cleaning

51" chrome extension wands w/tool lock (2 pcs.)

48" chrome extension wands

Metal extension wand (2 pcs.)

6" brush shoe for dry surfaces

fits NC218 only

27" crevice tool

15" crevice tool

Overhead pipe tool

6" metal master nozzle

(attachments required)

NC218

NG626

NC208*

NC207*

NC228

NC239

NC240

FILTERS & FILTER RAGS

	IND & FILIEN DAGS		
Model No.	Description	Model No.	Description
NC196	Cloth filter bag. Fits all shop vacs	NC238	Collector filter bags for
NG350	Collector bags for <i>Brute®</i> (3 pkg.)		8 to 10 gal. (3 pkg.)
NG351	Re-usable filters. Fits all shop vacs	NC252	Foam filter sleeve, fits all
NG352	Filter, polyester. Fits all shop vacs		wet/dry shop vacs
NC202	Collector bags for <i>Hippo®</i> (5 pkg.)	NG358*	High quality collector bags
NC217	Cartridge filter. Fits all shop vacs		for 4 to 6.5 gal. (5 pkg.)
NG354	Filter, polyester 11" diameter	NG359*	High quality collector bags
NG355	Filter, polyester 14" diameter		for 8 to 11.5 gal. (5 pkg.)
NG356	Filter, polyester 16" diameter	NG360*	High quality collector bags
NC236	Collector filter bags for		for 12 to 17.5 gal. (5 pkg.)
NC237	4 to 6.5 gal. (3 pkg.) Collector filter bags for	NI530*	Cleanstream® filter, fits all wet/dry shop vacs
* 95%	13 to 18 gal. (3 pkg.) efficient @ 0.1 micron particle size	N1735 N1736	Ultra Web Cartridge Filter Cleanstream® Abrasive resistant filter

^{*}Current industrial commercial wet/dry vac only